# Meet - Serif by Pair

# Health Product Declaration v2.2 created via: HPDC Online Builder

# HPD UNIQUE IDENTIFIER: 26945

CLASSIFICATION: 12 51 83 Custom Office Furniture

PRODUCT DESCRIPTION: Serif gives a nod to typography with its delicate legs, drawing inspiration from the Serif typeface. It's available in round or rectangular designs. This HPD includes the Pair product lines for conferencing: Cape, BYOT & BYOT Trapezoid, Beluga & Baby Beluga, Serif and Sevens. These table collections supporting small meetings, communal spaces, and conferencing. Seamless power integration with options supporting AV and data. The collection offers a comprehensive offering of surface materials, shapes, and sizes along with a variety of base styles including seated and bar height.

# Section 1: Summary

# CONTENT INVENTORY

Inventory Reporting Format © Nested Materials Method

- O Basic Method
- Threshold Disclosed Per
- C Material
- Product

Threshold Level ⊙ 100 ppm ○ 1,000 ppm ○ Per GHS SDS

O Other

Residuals/Impurities Considered in 17 of 17 Materials

Explanation(s) provided for Residuals/Impurities? © Yes © No

# **Nested Method / Product Threshold**

 All Substances Above the Threshold Indicated Are:

 Characterized
 • Yes Ex/SC • Yes • No

 % weight and role provided for all substances except SC

 substances characterized according to SC guidance.

 Screened
 • Yes Ex/SC • Yes • No

 All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

 Identified
 • Yes Ex/SC • Yes • No

 One or more substances not disclosed by Name

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

# CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

# MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

SC:BIO:PARTICLEBOARDFORFURNITURECONSTRUCTION [ SC:WOOD DUST Not Screened ] SC:BIO:MDF [ SC:WOOD DUST Not Screened ] FLOAT GLASS TOP [ SILICON DIOXIDE BM-1 | CAN SODIUM OXIDE LT-UNK CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8) LT-P1 MAGNESIUM OXIDE LT-UNK | CAN ALUMINUM OXIDE BM-2 | RES ] SC:BIO:PARTICLEBOARD2 [ SC:WOOD DUST Not Screened 4,4'-DIPHENYLMETHANE DIISOCYANATE LT-UNK | CAN | MUL | RES | SKI | EYE POLYVINYL ACETATE LT-UNK ] METAL LEGS [ IRON, ELEMENTAL (PRIMARY CASRN IS 7439-89-6) LT-P1 | END MANGANESE LT-P1 | END | MUL | REP COPPER LT-P1 | AQU SILICON, ELEMENTAL LT-UNK SULFUR, PRECIPITATED LT-UNK | SKI PHOSPHORUS BM-2 | MAM | PHY CARBON LT-UNK MANGANESE LT-P1 | END | MUL | REP ] SHEET METAL [ IRON, ELEMENTAL LT-P1 | END CARBON LT-UNK IRON ALLOY, BASE, FE,P (FERROPHOSPHORUS) NoGS CALCIUM LT-P1 | PHY SILICON, ELEMENTAL LT-UNK COPPER LT-P1 | AQU MANGANESE LT-P1 | END | MUL | REP ] UNDISCLOSED [ WOOD DUST - UNSPECIFIED NoGS UNDISCLOSED LT-P1 | RES UNDISCLOSED NoGS UNDISCLOSED LT-UNK CELLULOSE, MICROCRYSTALLINE LT-UNK | RES ] SC:BIO:WOODVENEER [ SC:DOMESTIC WOOD VENEER Not Screened ] LAMINATE [ SC:KRAFT PAPER Not Screened PHENOL-FORMALDEHYDE RESIN LT-P1 | RES CELLULOSE, MICROCRYSTALLINE LT-UNK | RES MELAMINE/FORMALDEHYDE **RESIN LT-UNK POLYNOXYLIN LT-P1 | RES HEXANEDIOIC ACID,** POLYMER WITH N-(2-AMINOETHYL)-1,2-ETHANEDIAMINE,

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

# INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

Our Conferencing solutions come in a wide range of options. To cover that full range we have created a low and high option and all configurations are included in that range. The product category is defined as Conferencing including Cape, BYOT & BYOT Trapezoid, Beluga & Baby Beluga, Serif and Sevens. This HPD covers all products in those lines. The "low" option is 36" Seven Round Table with Wood Top and Metal Legs. . For the "high" option we used 240"W x 72"D BYOT Fin Table, w/ Glass Top, Wood Subtop and Metal Legs.

All other configurations are within this range.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

"The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for

**REACTION PRODUCTS WITH DIMETHYLAMINE AND** EPICHLOROHYDRIN LT-UNK ] SC:BIO:PLYWOOD [ SC:WOOD Not Screened ] WOOD ADHESIVE 1 [ POLYVINYL ACETATE LT-UNK WATER BM-4 TALC BM-1 | CAN 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE LT-P1 | END DIPROPYLENE GLYCOL MONOMETHYL ETHER LT-UNK POLYVINYL ALCOHOL LT-UNK ALUMINUM CHLORIDE LT-P1 | SKI | RES ] WOOD ADHESIVE 2 [ WATER (PRIMARY CASRN IS 7732-18-5) BM-4 POLYCHLOROPRENE LT-UNK ZINC OXIDE BM-1 | AQU | END | RES | MUL RESIN ACIDS AND ROSIN ACIDS, FUMARATED, CALCIUM SALTS LT-P1 | MUL ] MISC. HARDWARE [ IRON, ELEMENTAL LT-P1 | END ] GLASS TINT [ SELENIUM, ELEMENTAL LT-P1 | CAN | PBT | MAM | MUL NICKEL LT-1 CAN | RES | MAM | MUL | SKI COBALT LT-1 | CAN | REP | MUL | RES | GEN | SKI ] UV CURED WOOD FINISH [ BISPHENOL A-EPICHLOROHYDRIN ACRYLATE BM-1 DIPROPYLENE GLYCOL DIACRYLATE LT-UNK TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | SKI | EYE | AQU | MUL BISPHENOL A BM-1 | END | MUL | REP | DEV | SKI | EYE *EPICHLOROHYDRIN* LT-1 | CAN | END | SKI | MUL | MAM | REP | GEN DIPROPYLENE GLYCOL (PRIMARY CASRN IS 25265-71-8) LT-UNK HYDROCHLORIC ACID BM-2 | SKI | MAM | RES SILICON DIOXIDE BM-1 | CAN ] POWDER COAT FINISH FOR METAL LEGS [ 1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BENZENEDICARBOXYLIC ACID, 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIOL AND HEXANEDIOIC ACID NoGS TITANIUM DIOXIDE LT-1 | CAN | END BARIUM SULFATE BM-2 | CAN TRIGLYCIDYL ISOCYANURATE LT-1 | MUL | MAM | RES | SKI | GEN | EYE PYROMELLITIC ACID 2-PHENYL-2-IMIDAZOLINE SALT (1:1) LT-P1 MUL QUARTZ LT-1 | CAN ALUMINUM OXIDE BM-2 | RES KAOLIN LT-UNK | CAN ALUMINUM HYDROXIDE, DRIED BM-2 ] ADHESIVE 3 [ SILICON, ELEMENTAL LT-UNK OCTAMETHYLCYCLOTETRASILOXANE BM-1 | END | MUL | PBT | REP **METHYLSILANETRIOL TRIACETATE LT-UNK** 

informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

### SPECIAL CONDITION: Minor Fasteners Version: SCMinorFasteners/2020-07-16

All hardware for this system not reported is in alignment with HPDC Special Conditions- Minor Fasteners. The total weight of all metal fasteners is <5% of the total weight of the system. Any fasteners reported above that threshold are listed on the HPD. The total combined weight of the commodity fasteners is between 1% and 2%. All minor fasteners fit within the specific guidelines as outlined in the HPD Guide for Special Conditions They are purchased from a third party, made to a generic specification, e.g. ASTM, and not made to order for the specific manufacturer.

### SPECIAL CONDITION: Electronics Version: SCElec/2018-02-23

Electronics are also covered by a special condition and reported as such. All electrical components are EU RoHS compliant without exemptions. Electronics comprising 10% or less of the product by weight are included in this Special Condition; if electronics comprise greater than 10% of the product by weight, they must be inventoried separately. The electronic components must be fully enclosed and sealed, there can be no possible exposure to the components during the use phase, and there must be a guaranteed take-back program. All electrical components covered by this HPD are <3% by weight.

Disclaimer - Every effort has been made to report the substances in this product by the manufacturer to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

# VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

# CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? C Yes © No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2021-07-08 PUBLISHED DATE: 2021-12-29 EXPIRY DATE: 2024-07-08 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SC:BIO:PARTICLEBOARDFORFURNITURECONSTRUCTION	%: 43.0000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Wood Dust, Fiber or Chips
RESIDUALS AND IMPURITIES NOTES: Residuals and impuritie version 1 "The threshold applied to Residuals and Impurities (F terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impur on the HPD." This includes average data as declared in the con actual material has been tested therefore residuals and impurit actual building material. The main databases used for research	I/I) is the same as the threshold applied to ities present below the declared Inventory mmon product database or in peer-reviewe ies are for informational purposes only and	intentionally added substances, in Threshold do not need to be reported d scientific articles. For this product, no I are not a guarantee of presence in the

actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- This particleboard is the primary core board for the furniture composition. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition

SC:WOOD DUST				ID: SC:Bio
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	Not Screened
%: 50.0000 - 100.0000	GS: Not Screened	RC: Both	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
	Hazard Screening not performed			

SUBSTANCE NOTES: Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: unknown

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified. It is 90% recycled content- 82% post-industrial and 8 % post-consumer.

### SC:BIO:MDF

%: 35.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- The manufacturer is unwilling to disclose the resin used in the manufacturing of this product. The SDS states it is NAF (no added formaldehyde) and it does not contain any hazardous substances. Information beyond that is not attainable.

SC:WOOD DUST				ID: SC:Bio
HAZARD SCREENING METH	IOD: Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	Not Screened
%: 80.0000	GS: Not Screened	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
	Hazard Screening not performed			

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: wood dust- mixed sources

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

"The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

FLOAT GLASS TOP

%: 25.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are per the Pharos database. The following are below the threshold: Pb, Cr, As, Sb, V, and Cd may rarely be present in NSG Group float glass as trace level contaminants. Pb, Cr, As, Sb, V, and Cd are never present at greater than 20ppm. Se is never present at more than 50ppm. Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: The manufacturer released information stating this was soda-lime glass. The chemical composition of soda-lime glass was taken from the database of common building materials.

SILICON DIOXIDE				ID: 7631-86-9
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:06:26
%: <b>70.0000</b>	GS: <b>BM-1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

SODIUM OXIDE				ID: 1313-59-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-07-08 20:06:35
%: 5.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8)					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-07-08 20		
%: 5.0000	GS: <b>LT-P1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
None found			No warnings f	ound on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

### **MAGNESIUM OXIDE**

ID: 1309-48-4

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-07-08 20:06:38
%: 2.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
CAN	МАК		ogen Group 4 - I k under MAK/BA	Non-genotoxic carcinogen with \T levels

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

				ID: 1344-28-1
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE:		2021-07-08 20:06:40
%: 1.0000	GS: <b>BM-2</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
RES	AOEC - Asthmagens	Asthm	agen (Rs) - sens	itizer-induced

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

SC:BIO:PARTICLEBOARD2	%: 18.0000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- This table line can use two different particleboards based on different options. This particleboard is not used for door construction but is the primary core board for the furniture composition. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

# SC:WOOD DUST

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	Not Screened
%: 50.0000 - 100.0000	GS: Not Screened	RC: Both	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS	
	Hazard Screening not performed			
SUBSTANCE NOTES: Version: SCBioMats/2018-02-23 Category: Tree-based materials				

Identifier: mixed- unknown sources

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

### 4,4'-DIPHENYLMETHANE DIISOCYANATE

ID: 101-68-8

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE:	2021-07-08 20:06:27
%: <b>40.0000</b>	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
CAN	EU - GHS (H-Statements)	H3	51 - Suspected of ca	ausing cancer
MUL	US EPA - PPT Chemical Action Plans	EP	A Chemical of Conc	ern - Action Plan published
RES	AOEC - Asthmagens	Ast	hmagen (G) - gener	ally accepted
CAN	МАК		rcinogen Group 4 - I v risk under MAK/BA	Non-genotoxic carcinogen with \T levels
SKI	EU - GHS (H-Statements)	H3 <sup>-</sup>	15 - Causes skin irri	tation
EYE	EU - GHS (H-Statements)	H3 <sup>-</sup>	19 - Causes serious	eye irritation
RES	МАК		nsitizing Substance sitization	Sah - Danger of airway & skin
RES	EU - GHS (H-Statements)		34 - May cause aller athing difficulties if	rgy or asthma symptoms or inhaled
SKI	EU - GHS (H-Statements)	H3 <sup>-</sup>	17 - May cause an a	Illergic skin reaction
RES	US EPA - PPT Chemical Action Plans	Inh	alation sensitizer ca	using asthma and lung damage

SUBSTANCE NOTES: The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin crosslinking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

POLYVINYL ACETATE				ID: 9003-20-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2021-07-08 20:06:27
%: <b>40.0000</b>	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

SUBSTANCE NOTES: The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin crosslinking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

METAL LEGS				
METAL LEGS		-		$\sim$
	IVI		<b>A</b> I	

%: 8.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This includes the 16 gauge metal tubing and mounting plate for options with tube legs. These come from two different manufacturers therefore there is a range of composition. Both are essentially sheet metal (carbon steel). Includes all options for legs including the sled base.

:24
Alloy element

SUBSTANCE NOTES: Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon.

MANGANESE		ID: 7439-96-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 20:06:39
%: 1.1000 - 1.6500	GS: <b>LT-P1</b>	RC: UNK NANO: No SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Aluminum is a common residual but is below the threshold."Production of manganese metal is achieved by aluminum reduction of low iron-content manganese ore, and electrolytically from sulfate or chloride solution (Lewis 2001)." (ATSDR) Manganese with <0.1% metallic impurities can be produced electrolytically from a manganese sulfate solution (EPA 1984; Lewis 2001)." (ATSDR)

00	DD	ED	
	РГ	ER	

%: 0.3500	GS: <b>LT-P1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
AQU	EU - GHS (H-Statements)	H411	1 - Toxic to aq	uatic life with long lasting effects

partial roasting to obtain oxidized material or calcines; (3) two-stage pyrometallurgical extraction, (a) smelting concentrates to matte, (b) converting matte by oxidation to crude (converter or blister) copper; (4) Refining the crude copper, usually in two steps, (a) pyrometallurgically to fire-refined copper, (b) electrolytically to high-purity electrolytic copper. [Gerhartz, W. (exec ed.). Ullmann's Encyclopedia of Industrial Chemistry. 5th ed.Vol A1: Deerfield Beach, FL: VCH Publishers, 1985 to Present., p. VA7 (86) 479]

					ID: 7440-21-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2021-07-08	20:06:45
%: Impurity/Residual	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE RO	LE: Impurity/Residua
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
None found			No warn	ings found on HPE	Priority Hazard Lists
SUBSTANCE NOTES:					
SULFUR, PRECIPITATED					ID: <b>7704-34-</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2021-07-08	20:06:44
%: Impurity/Residual	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE RO	LE: Impurity/Residua
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
SKI	EU - GHS (H-Statements)	H31	5 - Causes sk	kin irritation	
SUBSTANCE NOTES:					
PHOSPHORUS					ID: 7723-14-
	Pharos Chemical and Materials Library	HAZARD S	SCREENING D	DATE: 2021-07-08	
	Pharos Chemical and Materials Library GS: BM-2		SCREENING D		20:06:45
HAZARD SCREENING METHOD:		RC: UNK			20:06:45
HAZARD SCREENING METHOD: %: Impurity/Residual	GS: <b>BM-2</b>	RC: UNK WA	NANO: <b>No</b> RNINGS		20:06:45
HAZARD SCREENING METHOD: %: Impurity/Residual HAZARD TYPE	GS: <b>BM-2</b> AGENCY AND LIST TITLES US EPA - EPCRA Extremely Hazardous	RC: UNK WA	NANO: <b>No</b> RNINGS	SUBSTANCE RO	20:06:45
HAZARD SCREENING METHOD: %: Impurity/Residual HAZARD TYPE MAM	GS: <b>BM-2</b> AGENCY AND LIST TITLES US EPA - EPCRA Extremely Hazardous Substances	RC: UNK WA	NANO: <b>No</b> RNINGS remely Hazard	SUBSTANCE RO	20:06:45
HAZARD SCREENING METHOD: %: Impurity/Residual HAZARD TYPE MAM PHY	GS: <b>BM-2</b> AGENCY AND LIST TITLES US EPA - EPCRA Extremely Hazardous Substances	RC: UNK WA	NANO: <b>No</b> RNINGS remely Hazard	SUBSTANCE RO	ID: 7723-14-( 20:06:45 LE: Impurity/Residual

%: Impurity/Residual	GS: LT-UNK	RC: UN	K NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				
MANGANESE				ID: 7439-96-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARI	O SCREENING I	DATE: 2021-07-08 20:06:44
%: Impurity/Residual	GS: <b>LT-P1</b>	RC: UN	K NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS	
END	TEDX - Potential Endocrine Disruptors	Р	otential Endocr	rine Disruptor
MUL	German FEA - Substances Hazardous t Waters	to C	class 2 - Hazard	to Waters
REP	GHS - Japan	т	oxic to reprodu	ction - Category 1B [H360]
SUBSTANCE NOTES:				

### SHEET METAL

%: 2.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:

IRON, ELEMENTAL					ID: 7439-89-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2021-07-08 20:06:25	
%: 95.0000 - 97.0000	GS: <b>LT-P1</b>	RC: UNK	NANO: Unknown	SUBSTANCE ROLE:	Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
END	TEDX - Potential Endocrine Disruptors	Po	tential Endocrine Di	sruptor	
SUBSTANCE NOTES: Information	on per the manufacturer SDS listing metal o	omposition			
CARBON					ID: 7440-44-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2021-07-08 20:01:33	

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 20:01:33

%: 0.0000 - 0.6000

GS: LT-UNK

RC: UNK NANO: Unknown SUBSTANCE ROLE: Alloy element

	omposition SCREENING DATE:	found on HPD Priority	Hazard Lists	
IRON ALLOY, BASE, FE,P (FERROPHOSPHORUS)         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %:       0.0000 - 0.1500       GS: NoGS       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W	SCREENING DATE:			
HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %: 0.0000 - 0.1500       GS: NoGS       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W				
%: 0.0000 - 0.1500     GS: NoGS     RC: UNK       HAZARD TYPE     AGENCY AND LIST TITLES     W			ID: 8049-19-2	
HAZARD TYPE AGENCY AND LIST TITLES W		2021-07-08 20:06:50		
	NANO: Unknown	SUBSTANCE ROLE:	Alloy element	
None found	ARNINGS			
None Iouna	No warnings	found on HPD Priority	Hazard Lists	
SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal composition				
CALCIUM			ID: 7440-70-2	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD	SCREENING DATE:	2021-07-08 20:06:50		
%: 0.0000 - 0.1000 GS: LT-P1 RC: UNK	NANO: Unknown	SUBSTANCE ROLE:	Alloy element	
HAZARD TYPE AGENCY AND LIST TITLES W	ARNINGS			
PHY EU - GHS (H-Statements) H2	61 - In contact with	water releases flamma	able gases	
SILICON, ELEMENTAL	SCREENING DATE:	2021-07-08 20:06:50	ID: 7440-21-3	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD %: 0.0000 - 0.6000 GS: LT-UNK RC: UNK	NANO: Unknown	2021-07-08 20:06:50 SUBSTANCE ROLE:		
HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %:       0.0000 - 0.6000       GS: LT-UNK       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W	NANO: Unknown Arnings	SUBSTANCE ROLE:	Alloy element	
HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %:       0.0000 - 0.6000       GS: LT-UNK       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W         None found       V       V	NANO: Unknown ARNINGS No warnings		Alloy element	
HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %: 0.0000 - 0.6000       GS: LT-UNK       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W	NANO: Unknown ARNINGS No warnings	SUBSTANCE ROLE:	Alloy element	
HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %:       0.0000 - 0.6000       GS: LT-UNK       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W         None found       SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of the sector of	NANO: Unknown ARNINGS No warnings	SUBSTANCE ROLE:	Alloy element Hazard Lists	
HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %: 0.0000 - 0.6000       GS: LT-UNK       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W         None found       SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of COPPER	NANO: Unknown ARNINGS No warnings omposition	SUBSTANCE ROLE:	Alloy element Hazard Lists	
HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %: 0.0000 - 0.6000       GS: LT-UNK       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W         None found       SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of COPPER         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD	NANO: Unknown ARNINGS No warnings omposition SCREENING DATE:	SUBSTANCE ROLE:	Alloy element Hazard Lists ID: 7440-50-8	
HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %: 0.0000 - 0.6000       GS: LT-UNK       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W         None found       SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of         COPPER       HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %: 0.0000 - 0.5000       GS: LT-P1       RC: UNK	NANO: Unknown ARNINGS No warnings omposition SCREENING DATE:	SUBSTANCE ROLE: found on HPD Priority 2021-07-08 20:06:51	Alloy element Hazard Lists ID: 7440-50-8	
HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %: 0.0000 - 0.6000       GS: LT-UNK       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W         None found       SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of         COPPER       HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %: 0.0000 - 0.5000       GS: LT-P1       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W	NANO: Unknown ARNINGS No warnings omposition SCREENING DATE: NANO: Unknown ARNINGS	SUBSTANCE ROLE: found on HPD Priority 2021-07-08 20:06:51	Alloy element Hazard Lists ID: 7440-50-8 Alloy element	
HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %: 0.0000 - 0.6000       GS: LT-UNK       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W         None found       SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of         COPPER       HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %: 0.0000 - 0.5000       GS: LT-P1       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W	NANO: Unknown ARNINGS No warnings omposition SCREENING DATE: NANO: Unknown ARNINGS 411 - Toxic to aquati	SUBSTANCE ROLE: found on HPD Priority 2021-07-08 20:06:51 SUBSTANCE ROLE:	Alloy element Hazard Lists ID: 7440-50-8 Alloy element	
HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %: 0.0000 - 0.6000       GS: LT-UNK       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W         None found       SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal of SUBSTANCE NOTES: Pharos Chemical and Materials Library       HAZARD         KAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD         %: 0.0000 - 0.5000       GS: LT-P1       RC: UNK         HAZARD TYPE       AGENCY AND LIST TITLES       W         AQU       EU - GHS (H-Statements)       HA	NANO: Unknown ARNINGS No warnings omposition SCREENING DATE: NANO: Unknown ARNINGS 411 - Toxic to aquati	SUBSTANCE ROLE: found on HPD Priority 2021-07-08 20:06:51 SUBSTANCE ROLE:	Alloy element Hazard Lists ID: 7440-50-8 Alloy element	

%: <b>0.0000 - 1.5000</b>	GS: <b>LT-P1</b>	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
END	TEDX - Potential Endocrine Disruptors	Po	otential Endocrine Di	sruptor
MUL	German FEA - Substances Hazardous to Waters	o Cl	ass 2 - Hazard to Wa	aters
REP	GHS - Japan	Тс	oxic to reproduction	- Category 1B [H360]
SUBSTANCE NOTES: This informa	tion is per the manufacturer SDS listing t	he metal c	composition	

UNDISCLOSED	%: 1.0000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Formaldehyde resins are listed on the SDS by the manufacturer at 10-30%. Inquiry to the manufacturer did not list additional information as it is proprietary to the company. The product sheet states that there is no added urea-formaldehyde so additional options for formaldehyde resins will be listed as possible substances since the exact information is unknown. Types of formaldehyde resins include: melamine resin, phenol-formaldehyde resin, polyoxymethylene plastics, 1,4-butanediol, and methylene diphenyl diisocyanate.

WOOD DUST - UNSPECIFIED				ID: Not registered	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2021-07-08 20:06:30	
%: 25.0000 - 75.0000	GS: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS		
None found		No warnings found on HPD Priority Hazard List			
SUBSTANCE NOTES:					
UNDISCLOSED				ID: Undisclosed	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	REENING DATE:	2021-07-08 20:06:33	
%: 10.0000 - 30.0000	GS: <b>LT-P1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS		
RES	AOEC - Asthmagens	Asthma	agen (Rs) - sensi	tizer-induced	
SUBSTANCE NOTES: This is a plant listed on the SDS as a possible	possible substance. Due to manufacturer p resin.	roprietary infor	mation the exact	t composition is unknown. This is	
UNDISCLOSED				ID: Undisclosed	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2021-07-08 20:06:32	
%: 10.0000 - 30.0000 - Serif	GS: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder	

HAZARD TYPE

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is listed as a possible in the chemical composition. The manufacturer will not disclose the exact resin but simply states the family that it belongs to. All resins in the family are screened and listed as possible ingredients.

UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-07-08 20:06:34
%: 10.0000 - 30.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is listed as a possible in the chemical composition. The manufacturer will not disclose the exact resin but simply states the family that it belongs to. All resins in the family are screened and listed as possible ingredients.

CELLULOSE, MICROCRYSTAL	LINE			ID: 9004-34-0
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:06:34
%: 10.0000 - 20.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS	
RES	AOEC - Asthmagens	Asthm	nagen (Rs) - sens	itizer-induced

SUBSTANCE NOTES:

SC:BIO:WOODVENEER	%: 1.0000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- Pair uses a variety of domestic veneers for this collection. They also use laminate therefore this is an alternate material.

HAZARD SCREENING MI	ETHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE:	Not Screened
%: <b>100.0000</b>	GS: Not Screened		STANCE ROLE: Structure compone
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	Hazard Screening not performed		
	naterials		
AMINATE	%: 1.0000		
RODUCT THRESHOLD: 1	00 ppm RESIDUALS AND IMPURITIES CON	SIDERED: Yes MATER	RIAL TYPE: Paper or Cardboard
n the HPD." This includes ctual material has been te	n or 1000 ppm. Residuals and impurities present b average data as declared in the common product sted therefore residuals and impurities are for info e main databases used for researching potential r	t database or in peer-reviewed s prmational purposes only and ar	scientific articles. For this product, r re not a guarantee of presence in the
n the HPD." This includes ctual material has been te ctual building material. Th ny R/I above the threshold pove the threshold. THER MATERIAL NOTES:	average data as declared in the common product	t database or in peer-reviewed s ormational purposes only and ar residuals and impurities are Pha e listed then no residuals or imp	scientific articles. For this product, r re not a guarantee of presence in the ros and PubChem (formerly toxnet) urities are common in that substance
n the HPD." This includes ctual material has been te ctual building material. Th ny R/I above the threshold pove the threshold. THER MATERIAL NOTES: naros common building m	average data as declared in the common product sted therefore residuals and impurities are for info e main databases used for researching potential r d shall be listed on the HPD, otherwise, if none are	t database or in peer-reviewed s ormational purposes only and ar residuals and impurities are Pha e listed then no residuals or imp	scientific articles. For this product, r re not a guarantee of presence in the ros and PubChem (formerly toxnet) urities are common in that substand ps of the manufacturer data the
a the HPD." This includes ctual material has been te ctual building material. Th ny R/I above the threshold ovve the threshold. THER MATERIAL NOTES: naros common building m SC:KRAFT PAPER	average data as declared in the common product sted therefore residuals and impurities are for info e main databases used for researching potential r d shall be listed on the HPD, otherwise, if none are	t database or in peer-reviewed sormational purposes only and ar residuals and impurities are Pha e listed then no residuals or imp n this collection. To fill in the ga	scientific articles. For this product, r re not a guarantee of presence in the ros and PubChem (formerly toxnet), urities are common in that substance ps of the manufacturer data the ID: SC:Bio
a the HPD." This includes total material has been te tual building material. Th by R/I above the threshold over the threshold. THER MATERIAL NOTES: haros common building m SC:KRAFT PAPER HAZARD SCREENING ME	average data as declared in the common product sted therefore residuals and impurities are for info e main databases used for researching potential r d shall be listed on the HPD, otherwise, if none are t Laminate is an alternate option to wood veneer in haterial database was used.	t database or in peer-reviewed sormational purposes only and ar residuals and impurities are Pha e listed then no residuals or imp n this collection. To fill in the ga	scientific articles. For this product, r re not a guarantee of presence in th ros and PubChem (formerly toxnet) urities are common in that substand ps of the manufacturer data the ID: SC:Bid
a the HPD." This includes total material has been te tual building material. Th by R/I above the threshold over the threshold. THER MATERIAL NOTES: haros common building m SC:KRAFT PAPER HAZARD SCREENING ME	average data as declared in the common product sted therefore residuals and impurities are for info e main databases used for researching potential r d shall be listed on the HPD, otherwise, if none are a Laminate is an alternate option to wood veneer in haterial database was used.	t database or in peer-reviewed sormational purposes only and ar residuals and impurities are Pha e listed then no residuals or imp n this collection. To fill in the ga	scientific articles. For this product, r re not a guarantee of presence in the ros and PubChem (formerly toxnet) urities are common in that substand ps of the manufacturer data the ID: SC:Bit Not Screened
a the HPD." This includes ctual material has been te ctual building material. Th ny R/I above the threshold bove the threshold. THER MATERIAL NOTES: naros common building m SC:KRAFT PAPER HAZARD SCREENING ME %: 50.0000 - 50.9700	average data as declared in the common product sted therefore residuals and impurities are for info e main databases used for researching potential r d shall be listed on the HPD, otherwise, if none are t Laminate is an alternate option to wood veneer in haterial database was used. ETHOD: Pharos Chemical and Materials Library GS: Not Screened	t database or in peer-reviewed sormational purposes only and ar residuals and impurities are Pha e listed then no residuals or imp n this collection. To fill in the ga HAZARD SCREENING DATE: RC: UNK NANO: No	scientific articles. For this product, r re not a guarantee of presence in the ros and PubChem (formerly toxnet) urities are common in that substand ps of the manufacturer data the ID: SC:Bit Not Screened
h the HPD." This includes ctual material has been te ctual building material. Th ny R/I above the threshold bove the threshold. THER MATERIAL NOTES: haros common building m SC:KRAFT PAPER HAZARD SCREENING ME %: 50.0000 - 50.9700 HAZARD TYPE SUBSTANCE NOTES: Version: SCBioMats/201 Category: Tree-based m Identifier: Generic wood This disclosure does no	average data as declared in the common product sted therefore residuals and impurities are for info e main databases used for researching potential r d shall be listed on the HPD, otherwise, if none are a Laminate is an alternate option to wood veneer in haterial database was used. ETHOD: Pharos Chemical and Materials Library GS: Not Screened AGENCY AND LIST TITLES Hazard Screening not performed	a database or in peer-reviewed sormational purposes only and arresiduals and impurities are Phate listed then no residuals or import in this collection. To fill in the gate HAZARD SCREENING DATE: RC: UNK NANO: No WARNINGS	scientific articles. For this product, i re not a guarantee of presence in th ros and PubChem (formerly toxnet) urities are common in that substand ps of the manufacturer data the ID: SC:Bit Not Screened SUBSTANCE ROLE: Filler
h the HPD." This includes ctual material has been te ctual building material. Th ny R/I above the threshold bove the threshold. THER MATERIAL NOTES: haros common building m SC:KRAFT PAPER HAZARD SCREENING ME %: 50.0000 - 50.9700 HAZARD TYPE SUBSTANCE NOTES: Version: SCBioMats/201 Category: Tree-based m Identifier: Generic wood This disclosure does no metabolic activities, pes	average data as declared in the common product sted therefore residuals and impurities are for info e main databases used for researching potential r d shall be listed on the HPD, otherwise, if none are e Laminate is an alternate option to wood veneer in haterial database was used. ETHOD: Pharos Chemical and Materials Library GS: Not Screened AGENCY AND LIST TITLES Hazard Screening not performed 18-02-23 haterials I pulp t provide information on allergens, hyper-accumu sticides, and other potential hazards or sources of	a database or in peer-reviewed sormational purposes only and arresiduals and impurities are Phate listed then no residuals or import in this collection. To fill in the gate HAZARD SCREENING DATE: RC: UNK NANO: No WARNINGS	scientific articles. For this product, r re not a guarantee of presence in the ros and PubChem (formerly toxnet) urities are common in that substand ps of the manufacturer data the ID: SC:Bid Not Screened SUBSTANCE ROLE: Filler

	AGENCY AND LIST TITLES	WARNINGS				
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced				
SUBSTANCE NOTES: Inform	nation is based on the database of common bu	uilding materials.				
CELLULOSE, MICROCRYST	ALLINE	ID: 9004-34				
HAZARD SCREENING METH	OD: Pharos Chemical and Materials Library	ry HAZARD SCREENING DATE: 2021-07-08 20:06:36				
%: 3.6100 - 10.0500	GS: LT-UNK	RC: UNK NANO: No SUBSTANCE ROLE: Filler				
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced				
SUBSTANCE NOTES: This i	nformation is based on the database of commo	on building materials.				
MELAMINE/FORMALDEHYD	DE RESIN	ID: 9003-08				
HAZARD SCREENING METH	OD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 20:06:46				
%: 0.0100 - 0.3400	GS: LT-UNK	RC: UNK NANO: No SUBSTANCE ROLE: Polymer specie				
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No warnings found on HPD Priority Hazard List				
		nation from the database of common building materials.				
POLYNOXYLIN		ID: 9011-05				
HAZARD SCREENING METHO		ID: 9011-05 HAZARD SCREENING DATE: 2021-07-08 20:01:33				
	OD: Pharos Chemical and Materials Library GS: LT-P1	ID: 9011-05				
HAZARD SCREENING METHO		ID: 9011-05 HAZARD SCREENING DATE: 2021-07-08 20:01:33				
HAZARD SCREENING METH %: 0.0000 - 4.8900	GS: LT-P1	ID: 9011-02 HAZARD SCREENING DATE: 2021-07-08 20:01:33 RC: UNK NANO: No SUBSTANCE ROLE: Monomer				
HAZARD SCREENING METHO %: 0.0000 - 4.8900 HAZARD TYPE RES	GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens	ID: 9011-02 HAZARD SCREENING DATE: 2021-07-08 20:01:33 RC: UNK NANO: No SUBSTANCE ROLE: Monomer WARNINGS				
HAZARD SCREENING METHO %: 0.0000 - 4.8900 HAZARD TYPE RES SUBSTANCE NOTES: Inform	GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens	ID: 9011-05 HAZARD SCREENING DATE: 2021-07-08 20:01:33 RC: UNK NANO: No SUBSTANCE ROLE: Monomer WARNINGS Asthmagen (Rs) - sensitizer-induced				
HAZARD SCREENING METHO %: 0.0000 - 4.8900 HAZARD TYPE RES SUBSTANCE NOTES: Inform HEXANEDIOIC ACID, POLYN ETHANEDIAMINE, REACTIO EPICHLOROHYDRIN	GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens mation for laminate was supplemented with info	ID: 9011-02 HAZARD SCREENING DATE: 2021-07-08 20:01:33 RC: UNK NANO: No SUBSTANCE ROLE: Monomer WARNINGS Asthmagen (Rs) - sensitizer-induced ormation from the database of common building materials.				
HAZARD SCREENING METHO %: 0.0000 - 4.8900 HAZARD TYPE RES SUBSTANCE NOTES: Inform HEXANEDIOIC ACID, POLYN ETHANEDIAMINE, REACTIO EPICHLOROHYDRIN	GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens mation for laminate was supplemented with info	ID: 9011-09 HAZARD SCREENING DATE: 2021-07-08 20:01:33 RC: UNK NANO: No SUBSTANCE ROLE: Monomer WARNINGS Asthmagen (Rs) - sensitizer-induced ormation from the database of common building materials. ID: 68583-79				
HAZARD SCREENING METHO %: 0.0000 - 4.8900 HAZARD TYPE RES SUBSTANCE NOTES: Inform HEXANEDIOIC ACID, POLYN ETHANEDIAMINE, REACTIO EPICHLOROHYDRIN HAZARD SCREENING METHO	GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens nation for laminate was supplemented with info	ID: 9011-09 HAZARD SCREENING DATE: 2021-07-08 20:01:33 RC: UNK NANO: No SUBSTANCE ROLE: Monomer WARNINGS Asthmagen (Rs) - sensitizer-induced ormation from the database of common building materials. ID: 68583-79 HAZARD SCREENING DATE: 2021-07-08 20:06:55				
HAZARD SCREENING METHO %: 0.0000 - 4.8900 HAZARD TYPE RES SUBSTANCE NOTES: Inform HEXANEDIOIC ACID, POLYN ETHANEDIAMINE, REACTIO EPICHLOROHYDRIN HAZARD SCREENING METHO %: 0.0000 - 0.3300	GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens nation for laminate was supplemented with info	ID: 9011-02 HAZARD SCREENING DATE: 2021-07-08 20:01:33 RC: UNK NANO: No SUBSTANCE ROLE: Monomer WARNINGS Asthmagen (Rs) - sensitizer-induced ormation from the database of common building materials. ID: 68583-79 HAZARD SCREENING DATE: 2021-07-08 20:06:55 RC: UNK NANO: No SUBSTANCE ROLE: Polymer specie				
HAZARD SCREENING METHO %: 0.0000 - 4.8900 HAZARD TYPE RES SUBSTANCE NOTES: Inform HEXANEDIOIC ACID, POLYN ETHANEDIAMINE, REACTION EPICHLOROHYDRIN HAZARD SCREENING METHO %: 0.0000 - 0.3300 HAZARD TYPE None found	GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens mation for laminate was supplemented with info	ID: 9011-02 HAZARD SCREENING DATE: 2021-07-08 20:01:33 RC: UNK NANO: No SUBSTANCE ROLE: Monomer WARNINGS Asthmagen (Rs) - sensitizer-induced ormation from the database of common building materials. ID: 68583-75 HAZARD SCREENING DATE: 2021-07-08 20:06:55 RC: UNK NANO: No SUBSTANCE ROLE: Polymer specie WARNINGS				

SC:BIO:PLYWOOD

%: 1.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- This is from the database of common building materials. All entries are generalized.

SC:WOOD				ID: SC:Bio
HAZARD SCREENING M	IETHOD: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	Not Screened
%: 95.0000	GS: Not Screened	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
	Hazard Screening not performed			

SUBSTANCE NOTES: Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: mixed- unknown sources

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

"The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

WOOD ADHESIVE 1	%: 0.0100	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This furniture collection can contain one of two wood adhesives or both. The low option they have the maximum percentage of composition by weight of 1.5% for low option and 5% for the high option. In the HPD they are listed as adhesive 1 and adhesive 2. This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

POLYVINYL ACETATE				ID: 9003-20-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	EENING DATE:	2021-07-08 20:06:28
%: 30.0000 - 39.2300	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NGS	
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

WATER				ID: 7732-18-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:06:31
%: 25.0000 - 40.1000	GS: <b>BM-4</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	NINGS	
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

TALC				ID: 14807-96-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:06:35
%: 6.0000 - 8.7200	GS: <b>BM-1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
CAN	МАК		nogen Group 3B - ot sufficient for cla	<ul> <li>Evidence of carcinogenic effects assification</li> </ul>
CAN	IARC	Group	o 2b - Possibly ca	rcinogenic to humans

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

Actinolite, anthophyllite and tremolite may occur in some talc deposits; when asbestiform, they constitute asbestos and, when not asbestiform, they are referred to as mineral fragments or cleavage fragments." and "Minerals commonly found in talc products include chlorite and carbonate. Less commonly, talc products contain tremolite, anthophyllite and serpentine."

IARC Working Group on the Evaluation of Carcinogenic Risk to Humans. Carbon Black, Titanium Dioxide, and Talc. Lyon (FR): International Agency for Research on Cancer; 2010. (IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, No. 93.) Available from: https://www.ncbi.nlm.nih.gov/books/NBK326521/.

# 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE

ID: 6846-50-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:06:36
%: 5.0000 - 8.7200	GS: <b>LT-P1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
END	TEDX - Potential Endocrine Disruptors	Poter	ntial Endocrine Di	sruptor

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

DIPROPYLENE GLYCOL MONOMETHYL ETHER ID: 34590-94-4						
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:06:43		
%: 0.1000 - 0.7000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Defoamer		
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS			
None found			No warnings	found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

POLYVINYL ALCOHOL				ID: 9002-89-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:01:30
%: 0.0000 - 1.2200	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	IINGS	
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

# ALUMINUM CHLORIDE

ID: 7446-70-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	y HAZARD SCREENING DATE: 2021-07-08 20:06:51		
%: 0.0000 - 1.2200	GS: <b>LT-P1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		ensitizer-induced

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

### WOOD ADHESIVE 2

%: 0.0100

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This furniture collection can contain one of two wood adhesives or both. The low option they have the maximum percentage of composition by weight of 1.5% for low option and 5% for the high option. In the HPD they are listed as adhesive 1 and adhesive 2. This has one missing ingredient that is at the threshold of 0.01. It is highly proprietary and the company will not disclose. All other ingredients are disclosed. The ingredient is listed as a resin dispersion.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

WATER (PRIMARY CASRN IS 77	32-18-5)				ID: 558440-22
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SCF	REENING DATE:	2021-07-08 20:06:28
%: 40.0000 - 50.0000	GS: <b>BM-4</b>	RC: UI	NK	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
None found				No warnings t	found on HPD Priority Hazard List
SUBSTANCE NOTES:					
POLYCHLOROPRENE					ID: <b>9010-98</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SCF	REENING DATE:	2021-07-08 20:06:29
%: 30.0000 - 40.0000	GS: LT-UNK	RC: UI	NK	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
None found				No warnings t	found on HPD Priority Hazard List
SUBSTANCE NOTES:					
ZINC OXIDE					ID: <b>1314-13</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SCF	REENING DATE:	2021-07-08 20:06:41
%: 1.0000 - 3.0000	GS: <b>BM-1</b>	RC: UI	NK	NANO: No	SUBSTANCE ROLE: Accelerator
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
AQU	EU - GHS (H-Statements)		H400 -	Very toxic to ac	uatic life
AQU	EU - GHS (H-Statements)		H410 -	Very toxic to ac	quatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors		Potent	ial Endocrine Di	sruptor
RES	AOEC - Asthmagens		Asthm	agen (Rs) - sens	itizer-induced
MUL	German FEA - Substances Hazardous t Waters	to	Class 2	2 - Hazard to Wa	aters
SUBSTANCE NOTES:					
RESIN ACIDS AND ROSIN ACIDS	S, FUMARATED, CALCIUM SALTS				ID: <b>94387-04</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SCF	REENING DATE:	2021-07-08 20:06:42
%: 0.1000 - 5.0000	GS: <b>LT-P1</b>	RC: UI	NK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
MUL	German FEA - Substances Hazardous t Waters	to	Class 2	2 - Hazard to Wa	aters
SUBSTANCE NOTES:					

**MISC. HARDWARE** 

%: 0.0100 - 68.0000

PRODUCT THRESHOLD: 100 ppm

**RESIDUALS AND IMPURITIES CONSIDERED: Yes** 

#### MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Hardware is noted for informational purposes only and is covered by the special condition for metal fasteners. Please see the screening notes for more detail.

# **IRON, ELEMENTAL**

ID: 7439-89-6

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-07-08 20:06:25
%: 90.0000 - 97.0000	GS: <b>LT-P1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS	
END	TEDX - Potential Endocrine Disruptors	rs Potential Endocrine Disruptor		e Disruptor

SUBSTANCE NOTES: Residuals and impurities were screened using the Pharos database. None listed. Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon. All impurities are below the threshold.

# GLASS TINT

#### %: 0.0100

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

SELENIUM, ELEMENTAL				ID: 7782-49-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 2	021-07-08 20:06:24
%: <b>99.0000</b>	GS: <b>LT-P1</b>	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
РВТ	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Co, Se and Ni may be added to impart colour to some tinted glasses. NSG Group declare that Co is never present at greater than 200ppm

NICKEL

ID: 7440-02-0

AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 20:06:23		
%: <b>99.0000</b>	GS: <b>LT-1</b>	RC: UNK NANO: Unknown SUBSTANCE ROLE: Co	atinç	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	МАК	Carcinogen Group 1 - Substances that cause cancer man		
CAN	IARC	Group 1 - Agent is Carcinogenic to humans		
CAN	CA EPA - Prop 65	Carcinogen		
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen		
CAN	IARC	Group 2b - Possibly carcinogenic to humans		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen		
МАМ	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonge repeated exposure		
RES	МАК	Sensitizing Substance Sah - Danger of airway & skir sensitization		
MUL	German FEA - Substances Hazardous t Waters	o Class 2 - Hazard to Waters		
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		

SUBSTANCE NOTES: Co, Se and Ni may be added to impart colour to some tinted glasses. NSG Group declare that Co is never present at greater than 200ppm

ID: 7440-48-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 20:06:23

%: <b>99.0000</b>	GS: <b>LT-1</b>	RC: U	INK	NANO: Unknown	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES		WAR	NINGS	
CAN	EU - GHS (H-Statements)		H350	- May cause cance	r
CAN	EU - Annex VI CMRs			inogen Category 1B nimal evidence	- Presumed Carcinogen based
REP	EU - Annex VI CMRs		Repr	oductive Toxicity - C	Category 1B
MUL	ChemSec - SIN List		CMR	- Carcinogen, Muta	gen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous Waters	to	Class	s 3 - Severe Hazard t	o Waters
RES	AOEC - Asthmagens		Asth	magen (G) - generally	y accepted
CAN	CA EPA - Prop 65		Carc	inogen	
GEN	EU - GHS (H-Statements)		H341	- Suspected of cause	sing genetic defects
CAN	IARC		Grou	p 2b - Possibly carc	inogenic to humans
RES	AOEC - Asthmagens		Asth	magen (Rs) - sensitiz	er-induced
CAN	МАК		Carci man	inogen Group 2 - Co	nsidered to be carcinogenic for
CAN	US NIH - Report on Carcinogens		Reas	onably Anticipated t	o be Human Carcinogen
RES	МАК			itizing Substance Sa itization	h - Danger of airway & skin
RES	EU - GHS (H-Statements)			- May cause allergy thing difficulties if inf	or asthma symptoms or naled
SKI	EU - GHS (H-Statements)		H317	' - May cause an alle	rgic skin reaction
GEN	МАК		Germ	n Cell Mutagen 3a	
REP	EU - GHS (H-Statements)		H360	F - May damage fer	illity
CAN	GHS - Australia		H350	i - May cause cance	r by inhalation
REP	GHS - Australia		H360	F - May damage fer	lility

SUBSTANCE NOTES: Co, Se and Ni may be added to impart colour to some tinted glasses. NSG Group declare that Co is never present at greater than 200ppm

UV CURED WOOD FINISH	%: 0.0100	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: The acrylate polymer is proprietary company information and can not be disclosed outside the manufacturer. It is not a hazardous substance as it is not reported on the SDS. The threshold level is 0.01. No substitute or clarification of information could be found in the database of common building materials.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

BISPHENOL A-EPICHLOROHYDRIN ACRYLATE ID: 55818-57-0						
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE	2021-07-08 20:06:30		
%: 25.0000 - 50.0000	GS: <b>BM-1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Film former		
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS			
None found			No warnings	s found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: The residual monomer content of bisphenol-A in the epoxy resin as produced is a maximum of 1,000 ppm. The residual bisphenol-A will be further reacted when the product is used (i.e. when the epoxy resin is cured)." (EU Risk Assessment, 2003)

Epichlorohydrin (ECH), 1-chloro-2,3-epoxypropane, is a raw material used in the production of epoxy resins, synthetic glycerol, elastomers, paper, and pharmaceuticals [1-2]. ECH can enter drinking water supplies by leaching from epoxy resin coatings on pipes or through flocculating agents in water treatment. (Agilent Technologies)

ATE			ID: 57472-68-1
haros Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:06:33
GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Antioxidant
AGENCY AND LIST TITLES	WARI	NINGS	
		No warnings	found on HPD Priority Hazard Lists
	haros Chemical and Materials Library GS: LT-UNK	haros Chemical and Materials Library HAZARD SCI GS: LT-UNK RC: UNK	haros Chemical and Materials Library       HAZARD SCREENING DATE:         GS: LT-UNK       RC: UNK       NANO: No         AGENCY AND LIST TITLES       WARNINGS

SUBSTANCE NOTES:

#### TRIPROPYLENE GLYCOL DIACRYLATE ID: 42978-66-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 20:06:32 %: 10.0000 - 25.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Plasticizer WARNINGS HAZARD TYPE AGENCY AND LIST TITLES SKI MAK Sensitizing Substance Sh - Danger of skin sensitization SKI EU - GHS (H-Statements) H315 - Causes skin irritation EYE EU - GHS (H-Statements) H319 - Causes serious eye irritation AQU EU - GHS (H-Statements) H411 - Toxic to aquatic life with long lasting effects German FEA - Substances Hazardous to Class 2 - Hazard to Waters MUL Waters EU - GHS (H-Statements) SKI H317 - May cause an allergic skin reaction SUBSTANCE NOTES: No known impurities.

**BISPHENOL A** 

ID: 80-05-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 20:06:52
%: Impurity/Residual	GS: <b>BM-1</b>	RC: UNK NANO: No SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	OSPAR - Priority PBTs & EDs & equivale concern	nt Endocrine Disruptor - Substance of Possible Concern
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
DEV	CA EPA - Prop 65	Developmental toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
REP	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity
SKI	МАК	Sensitizing Substance SP - Danger of photocontact sensitization
REP	EU - GHS (H-Statements)	H360F - May damage fertility
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]
	-	epoxy resin as produced is a maximum of 1,000 ppm. The residua epoxy resin is cured)." (EU Risk Assessment, 2003)
		ID. 100.00
EPICHLOROHYDRIN		ID: 106-89-

GS: LT-1

%: Impurity/Residual

RC: UNK NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
SKI	МАК	Sensitizing Substance Sh - Danger of skin sensitization
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	CA EPA - Prop 65	Carcinogen
МАМ	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
CAN	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
МАМ	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
REP	CA EPA - Prop 65	Reproductive Toxicity - Male
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
CAN	GHS - Australia	H350 - May cause cancer
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
GEN	GHS - Australia	H340 - May cause genetic defects
CAN	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
CAN	GHS - Malaysia	H350 - May cause cancer
CAN	GHS - Japan	Carcinogenicity - Category 1B [H350]

SUBSTANCE NOTES: Epichlorohydrin (ECH), 1-chloro-2,3-epoxypropane, is a raw material used in the production of epoxy resins, synthetic glycerol, elastomers, paper, and pharmaceuticals [1-2]. ECH can enter drinking water supplies by leaching from epoxy resin coatings on pipes or through flocculating agents in water treatment. (Agilent Technologies)

DIPROPYLENE GLYCOL (PRIMA	RY CASRN IS 25265-71-8)			ID: 78644-49-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	ATE: 2021-07-08 20:06:53
%: Impurity/Residual	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Impurity/Residua
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Listed as	<1.0% content in BASF MSDS for commer	cial DGMA (I	Laromer DPG	DA).
HYDROCHLORIC ACID				ID: 7647-01-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	ATE: 2021-07-08 20:06:54
%: Impurity/Residual	GS: <b>BM-2</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Impurity/Residua
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
SKI	EU - GHS (H-Statements)	H31	4 - Causes se	evere skin burns and eye damage
MAM	EU - GHS (H-Statements)	H33	81 - Toxic if in	haled
RES	AOEC - Asthmagens	Ast	hmagen (Rr) -	irritant-induced
МАМ	US EPA - EPCRA Extremely Hazardous Substances	s Extr	remely Hazaro	dous Substances

SUBSTANCE NOTES: "The manufacturing process for pyrogenic silicas is based mainly on the combustion of volatile silanes, especially silicon tetrachloride, in an oxygen-hydrogen burner. Primary particles (7-50 nm particle size) of amorphous silica fuse together in the high-temperature flame to yield stable aggregates of between 100 and 500 nm in diameter. These aggregates form micron-sized agglomerates. The finely divided silica is separated from the hydrochloric acid-containing off-gas stream in filter stations. The hydrochloric acid content of the product is commonly reduced to less than 100 ppm by desorbing the hydrochloric acid with air in a fluid-bed reactor. Pyrogenic silica appears as a fluffy white powder. [IARC. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man. Geneva: World Health Organization, International Agency for Research on Cancer, 1972-PRESENT. (Multivolume work). Available at:http://monographs.iarc.fr/index.php p. V68 56 (1997)]" (HSDB)

SILICON DIOXIDE		ID: 7631-86-9
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 20:06:54
%: 0.0000 - 10.0000	GS: <b>BM-1</b>	RC: UNK NANO: No SUBSTANCE ROLE: Abrasion resistance
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: "The manufacturing process for pyrogenic silicas is based mainly on the combustion of volatile silanes, especially silicon tetrachloride, in an oxygen-hydrogen burner. Primary particles (7-50 nm particle size) of amorphous silica fuse together in the high-temperature flame to yield stable aggregates of between 100 and 500 nm in diameter. These aggregates form micron-sized agglomerates. The finely divided silica is separated from the hydrochloric acid-containing off-gas stream in filter stations. The hydrochloric acid content of the product is commonly reduced to less than 100 ppm by desorbing the hydrochloric acid with air in a fluid-bed reactor. Pyrogenic silica appears as a fluffy white powder. [IARC. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man. Geneva: World Health Organization, International Agency for Research on Cancer, 1972-PRESENT. (Multivolume work). Available at:http://monographs.iarc.fr/index.php p. V68 56 (1997)]" (HSDB)

**POWDER COAT FINISH FOR METAL LEGS** 

PRODUCT THRESHOLD: 100 ppm

%: 0.0100

RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This option covers all colors and contains alternate materials based on different pigments. This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

	D: Pharos Chemical and Materials Library	HAZAND 30	REENING DATE:	2021-07-08 20:06:27
: 50.0000 - 60.0000	GS: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 20:06:29	
%: 25.0000 - 50.0000	GS: <b>LT-1</b>	RC: UNK NANO: No SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer	
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen	
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route	
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhale from occupational sources	
CAN	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value	
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
CAN	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels	

SUBSTANCE NOTES: This is not in all color options and therefore the depending on the color choice this substance is a "may contain".

#### BARIUM SULFATE

ID: 7727-43-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 20:06:37

%: 2.5000 - 10.0000

GS: BM-2

RC: UNK

NANO: No

SUBSTANCE ROLE: Pigment

HPD v2.2 created via HPDC Builder Page 28 of 36

Meet - Serif hpdrepository.hpd-collaborative.org HAZARD TYPE

CAN

AGENCY AND LIST TITLES

MAK

WARNINGS

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: This substance is not in all color options and should be considered a "may contain".

# TRIGLYCIDYL ISOCYANURATE

ID: 2451-62-9

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DAT	E: 2021-07-08 20:06:38
%: 2.5000 - 10.0000	GS: <b>LT-1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
MUL	ChemSec - SIN List	CN	MR - Carcinogen,	Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous Waters	to Class 3 - Severe Hazard to Waters		zard to Waters
MAM	EU - GHS (H-Statements)	H3	801 - Toxic if swal	llowed
MAM	EU - GHS (H-Statements)	H3	31 - Toxic if inha	led
RES	AOEC - Asthmagens	As	thmagen (Rs) - se	ensitizer-induced
RES	МАК	Sensitizing Substance Sah - Danger of airway & ski sensitization		nce Sah - Danger of airway & skin
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		an allergic skin reaction
GEN	EU - GHS (H-Statements)	H3	340 - May cause g	genetic defects
GEN	EU - REACH Annex XVII CMRs			2 - Substances which should be are Mutagenic to man
GEN	EU - Annex VI CMRs	М	utagen - Category	y 1B
EYE	EU - GHS (H-Statements)	H3	318 - Causes serio	ous eye damage
GEN	EU - SVHC Authorisation List	М	utagenic - Candid	late list
GEN	GHS - Korea		erm cell mutageni netic defects]	city - Category 1 [H340 - May cause
GEN	GHS - New Zealand	6.6	6A - Known or pre	esumed human mutagens
GEN	GHS - Japan	Ge	erm cell mutageni	city - Category 1B [H340]

SUBSTANCE NOTES:

# PYROMELLITIC ACID 2-PHENYL-2-IMIDAZOLINE SALT (1:1)

ID: 54553-90-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:06:37
%: 2.5000 - 10.0000	GS: <b>LT-P1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
MUL	German FEA - Substances Hazardous Waters	to Class	2 - Hazard to Wa	aters

SUBSTANCE NOTES:

# QUARTZ

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 20:06:42
%: <b>0.1000 - 1.0000</b>	GS: <b>LT-1</b>	RC: UNK NANO: No SUBSTANCE ROLE: Abrasion resistance
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: This is not in all color options therefore it is a "may contain" depending on the color choice.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:06:43
%: 0.1000 - 2.5000	GS: <b>BM-2</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Abrasive
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensit		itizer-induced
SUBSTANCE NOTES:				
KAOLIN				ID: 1332-58-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:04:08
%: 0.0000 - 2.5000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
CAN	МАК	Carcinogen Group 3B - Evidence of carcinogenic effect but not sufficient for classification		
SUBSTANCE NOTES: Based in S	SDS this substance is a "may contain" and	may not appe	ear in all color cho	ices.
ALUMINUM HYDROXIDE, DRIED				ID: 21645-51-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:06:49
%: 0.0000 - 2.5000	GS: <b>BM-2</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

None found

SUBSTANCE NOTES: This is not in all color options therefore it is a "may contain" depending on the color choice.

ADHESIVE 3	%: 0.0100	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

SILICON, ELEMENTAL				ID: 7440-21-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-07-08 20:06:26
%: 90.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OCTAMETHYLCYCLOTETRASILOXANE				I	ID: 556-67-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-07-08 20:06:40	
%: <b>1.0000</b>	GS: <b>BM-1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: M	onomer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
РВТ	EU - ESIS PBT	Under PBT evaluation
РВТ	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
REP	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
РВТ	EU - SVHC Authorisation List	PBT - Candidate list
PBT	EU - SVHC Authorisation List	vPvB - Candidate list

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

METHYLSILANETRIOL TRIACETATE ID: 4253-34-3				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-07-08 20:06:39
%: 1.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	SCS Indoor Advantage Gold - Classroom & Office scenario				
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Systems and tables: Systems: Belay, Fade, Gradient, Mix, Olli, Simple Beam, Swing, Swing Bar, Swing High, Swing Jr, Swing Low; Conferencing: Baby Beluga, Beluga, BYOT, Cape, Gradient Conference Tables, Serif, Sevens; Systems Accessories: 101, Bag Hook, Crostini, Crouton, End of Run Panels and Shelving, Felt Cable Manager, Gradient Storage, Hanging Whiteboard, Hanging Woodboard, Olli Coat Rack, Mix Divider Screen, Nest, Nest Screen, Olli Butterfly Screen, Olli Cushion, Olli Plug, Olli Frame, Olli Meeting Table, Oscar, Planter Hook, Saltine, Stackable Caddy, Stackable Planter, Stackable Storage, Stash, Swing Beam Mounted Screen, Swing Modesty, Swing/Olli/ BYOT Power Sleeve, Toast, Tuck, Wally CERTIFICATE URL:	ISSUE DATE: 2021-12- 18	EXPIRY DATE: 2022- 12-17	CERTIFIER OR LAB: SCS Global		
OF DETIFICATION AND COMPLIANCE NOTED #000 140 0F	0.54				

CERTIFICATION AND COMPLIANCE NOTES: **#SCS-IAQ-05854** 

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

Our Conferencing solutions come in a wide range of options. To cover that full range we have created a low and high option and all configurations are included in that range. The product category is defined as Conferencing including Cape, BYOT & BYOT Trapezoid, Beluga & Baby Beluga, Serif and Sevens. This HPD covers all products in those lines. The "low" option is 36" Seven Round Table with Wood Top and Metal Legs. . For the "high" option we used 240"W x 72"D BYOT Fin Table, w/ Glass Top, Wood Subtop and Metal Legs.

All other configurations are within this range.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

"The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

#### SPECIAL CONDITION: Minor Fasteners

Version: SCMinorFasteners/2020-07-16

All hardware for this system not reported is in alignment with HPDC Special Conditions- Minor Fasteners. The total weight of all metal fasteners is <5% of the total weight of the system. Any fasteners reported above that threshold are listed on the HPD. The total combined weight of the commodity fasteners is between 1% and 2%. All minor fasteners fit within the specific guidelines as outlined in the HPD Guide for Special Conditions They are purchased from a third party, made to a generic specification, e.g. ASTM, and not made to order for the specific manufacturer.

SPECIAL CONDITION: Electronics Version: SCElec/2018-02-23 Meet - Serif hpdrepository.hpd-collaborative.org Electronics are also covered by a special condition and reported as such. All electrical components are EU RoHS compliant without exemptions. Electronics comprising 10% or less of the product by weight are included in this Special Condition; if electronics comprise greater than 10% of the product by weight, they must be inventoried separately. The electronic components must be fully enclosed and sealed, there can be no possible exposure to the components during the use phase, and there must be a guaranteed take-back program. All electrical components covered by this HPD are <3% by weight.

Disclaimer - Every effort has been made to report the substances in this product by the manufacturer to the listed threshold. This is a voluntary, selfreported effort. Any errors or omissions shall be considered human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

# MANUFACTURER INFORMATION

MANUFACTURER: Pair ADDRESS: 500 Davis Street San Francisco CA 94111, United States WEBSITE: http://madebypair.com

CONTACT NAME: Astor Ng TITLE: Project Manager PHONE: 415.747.7300 EMAIL: astor@madebypair.com

NoGS No GreenScreen.

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KEY

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

#### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

# LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.