Meet - Sevens by Pair

Health Product Declaration v2.2 created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 26946

CLASSIFICATION: 12 51 83 Custom Office Furniture

PRODUCT DESCRIPTION: Sevens' playful stature and simplistic design makes this occasional table ideal for any setting. It's available in round or rectangular designs. It also allows you to hang your bag on these "seven" inspired legs. This HPD includes the Pair product lines for conferencing: Cape, BYOT & BYOT Trapezoid, Beluga & Baby Beluga, Serif and Sevens. These table collections supporting small meetings, communal spaces, and conferencing. Seamless power integration with options supporting AV and data. The collection offers a comprehensive offering of surface materials, shapes, and sizes along with a variety of base styles including seated and bar height.

🟮 Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

- Inventory Reporting Format © Nested Materials Method
- C Basic Method
- Threshold Disclosed Per
- O Material
- O Product

Threshold Level © 100 ppm © 1,000 ppm © Per GHS SDS

O Other

Residuals/Impurities Considered in 17 of 17 Materials

Explanation(s) provided for Residuals/Impurities? • Yes • No

 All Substances Above the Threshold Indicated Are:

 Characterized

 \u03c8 Yes Ex/SC \u03c8 Yes \u03c8 No

 % weight and role provided for all substances except SC
 substances characterized according to SC guidance.

 Screened

 \u03c8 Yes Ex/SC \u03c8 Yes \u03c8 No

 All substances screened using Priority Hazard Lists with
 results disclosed except SC substances screened
 according to SC guidance.

 Identified

 \u03c8 Yes \u03c8 No

 One or more substances not disclosed by Name

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

SC:BIO:PARTICLEBOARDFORFURNITURECONSTRUCTION [SC:WOOD DUST Not Screened] SC:BIO:MDF [SC:WOOD DUST Not Screened] FLOAT GLASS TOP [SILICON DIOXIDE BM-1 | CAN CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8) LT-P1 SODIUM OXIDE LT-UNK MAGNESIUM OXIDE LT-UNK | CAN ALUMINUM OXIDE BM-2 | RES] SC:BIO:PARTICLEBOARD2 [SC:WOOD DUST Not Screened POLYVINYL ACETATE LT-UNK 4,4'-DIPHENYLMETHANE DIISOCYANATE LT-UNK | CAN | MUL | RES | SKI | EYE] METAL LEGS [IRON, ELEMENTAL (PRIMARY CASRN IS 7439-89-6) LT-P1 | END MANGANESE LT-P1 | END | MUL | REP COPPER LT-P1 | AQU SILICON, ELEMENTAL LT-UNK MANGANESE LT-P1 | END | MUL | REP SULFUR, PRECIPITATED LT-UNK | SKI PHOSPHORUS BM-2 | MAM | PHY CARBON LT-UNK] SHEET METAL [IRON, ELEMENTAL LT-P1 | END COPPER LT-P1 | AQU MANGANESE LT-P1 | END | MUL | REP SILICON, ELEMENTAL LT-UNK CALCIUM LT-P1 | PHY IRON ALLOY, BASE, FE,P (FERROPHOSPHORUS) NoGS CARBON LT-UNK] UNDISCLOSED [WOOD DUST - UNSPECIFIED NoGS UNDISCLOSED NoGS UNDISCLOSED LT-P1 | RES UNDISCLOSED LT-UNK CELLULOSE, MICROCRYSTALLINE LT-UNK | RES] SC:BIO:WOODVENEER [SC:DOMESTIC WOOD VENEER Not Screened] LAMINATE [SC:KRAFT PAPER Not Screened PHENOL-FORMALDEHYDE RESIN LT-P1 | RES **CELLULOSE, MICROCRYSTALLINE LT-UNK | RES** MELAMINE/FORMALDEHYDE RESIN LT-UNK POLYNOXYLIN LT-P1 | **RES HEXANEDIOIC ACID, POLYMER WITH N-(2-AMINOETHYL)-1,2-**ETHANEDIAMINE, REACTION PRODUCTS WITH DIMETHYLAMINE

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

Our Conferencing solutions come in a wide range of options. To cover that full range we have created a low and high option and all configurations are included in that range. The product category is defined as Conferencing including Cape, BYOT & BYOT Trapezoid, Beluga & Baby Beluga, Serif and Sevens. This HPD covers all products in those lines. The "low" option is 36" Seven Round Table with Wood Top and Metal Legs. . For the "high" option we used 240"W x 72"D BYOT Fin Table, w/ Glass Top, Wood Subtop and Metal Legs.

All other configurations are within this range.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

"The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for

AND EPICHLOROHYDRIN LT-UNK] SC:BIO:PLYWOOD [SC:WOOD Not Screened] UNDISCLOSED [POLYVINYL ACETATE LT-UNK WATER BM-4 TALC BM-1 | CAN 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE LT-P1 | END DIPROPYLENE GLYCOL MONOMETHYL ETHER LT-UNK POLYVINYL ALCOHOL LT-UNK ALUMINUM CHLORIDE LT-P1 | SKI | RES] WOOD ADHESIVE 2 [WATER (PRIMARY CASRN IS 7732-18-5) BM-4 POLYCHLOROPRENE LT-UNK ZINC OXIDE BM-1 | AQU | END | RES | MUL RESIN ACIDS AND ROSIN ACIDS, FUMARATED, CALCIUM SALTS LT-P1 | MUL] MISC. HARDWARE [IRON, ELEMENTAL LT-P1 | END] GLASS TINT [COBALT LT-1 | CAN | REP | MUL | RES | GEN | SKI NICKEL LT-1 | CAN | RES | MAM | MUL | SKI SELENIUM, ELEMENTAL LT-P1 | CAN | PBT | MAM | MUL] UV CURED WOOD FINISH [BISPHENOL A-EPICHLOROHYDRIN ACRYLATE BM-1 DIPROPYLENE GLYCOL DIACRYLATE LT-UNK TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | SKI | EYE | AQU | MUL *EPICHLOROHYD<u>RIN</u>LT-1* | CAN | END | SKI | MUL | MAM | REP | GEN BISPHENOL A BM-1 | END | MUL | REP | DEV | SKI | EYE BISPHENOL A BM-1 | END | MUL | REP | DEV | SKI | EYE DIPROPYLENE GLYCOL (PRIMARY CASRN IS 25265-71-8) LT-UNK HYDROCHLORIC ACID BM-2 | SKI | MAM | RES SILICON DIOXIDE BM-1 | CAN] POWDER COAT FINISH FOR METAL LEGS [1,3-**BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-**BENZENEDICARBOXYLIC ACID, 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIOL AND HEXANEDIOIC ACID NoGS TITANIUM DIOXIDE LT-1 | CAN | END PYROMELLITIC ACID 2-PHENYL-2-IMIDAZOLINE SALT (1:1) LT-P1 | MUL TRIGLYCIDYL ISOCYANURATE LT-1 | MUL | MAM | RES | SKI | GEN | EYE BARIUM SULFATE BM-2 | CAN ALUMINUM OXIDE BM-2 | RES QUARTZ LT-1 | CAN ALUMINUM HYDROXIDE, DRIED BM-2 KAOLIN LT-UNK | CAN] ADHESIVE 3 [SILICON, ELEMENTAL LT-UNK OCTAMETHYLCYCLOTETRASILOXANE BM-1 | END | MUL | PBT | REP **METHYLSILANETRIOL TRIACETATE LT-UNK**

informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

SPECIAL CONDITION: Minor Fasteners Version: SCMinorFasteners/2020-07-16

All hardware for this system not reported is in alignment with HPDC Special Conditions- Minor Fasteners. The total weight of all metal fasteners is <5% of the total weight of the system. Any fasteners reported above that threshold are listed on the HPD. The total combined weight of the commodity fasteners is between 1% and 2%. All minor fasteners fit within the specific guidelines as outlined in the HPD Guide for Special Conditions They are purchased from a third party, made to a generic specification, e.g. ASTM, and not made to order for the specific manufacturer.

SPECIAL CONDITION: Electronics Version: SCElec/2018-02-23

Electronics are also covered by a special condition and reported as such. All electrical components are EU RoHS compliant without exemptions. Electronics comprising 10% or less of the product by weight are included in this Special Condition; if electronics comprise greater than 10% of the product by weight, they must be inventoried separately. The electronic components must be fully enclosed and sealed, there can be no possible exposure to the components during the use phase, and there must be a guaranteed take-back program. All electrical components covered by this HPD are <3% by weight.

Disclaimer - Every effort has been made to report the substances in this product by the manufacturer to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? C Yes © No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2021-07-08 PUBLISHED DATE: 2021-12-29 EXPIRY DATE: 2024-07-08 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SC:BIO:PARTICLEBOARDFORFURNITURECONSTRUCTION		%: 43.0000				
	PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Wood Dust, Fiber or Chips			
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17 version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported						
on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet)						

Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold. OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- This particleboard is the primary core board for the furniture

composition. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition

SC:WOOD DUST				ID: SC:B	io
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	Not Screened	
%: 50.0000 - 100.0000	GS: Not Screened	RC: Both	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS		
	Hazard Screening not performed				
SUBSTANCE NOTES					

SUBSTANCE NOTES: Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: unknown

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified. It is 90% recycled content- 82% post-industrial and 8 % post-consumer.

SC:BIO:MDF

%: 35.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- The manufacturer is unwilling to disclose the resin used in the manufacturing of this product. The SDS states it is NAF (no added formaldehyde) and it does not contain any hazardous substances. Information beyond that is not attainable.

SC:WOOD DUST ID: SC:				ID: SC:Bio
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE:		Not Screened
%: 80.0000	GS: Not Screened	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
	Hazard Screening not performed			

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: wood dust- mixed sources

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

"The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

FLOAT GLASS TOP

%: 25.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are per the Pharos database. The following are below the threshold: Pb, Cr, As, Sb, V, and Cd may rarely be present in NSG Group float glass as trace level contaminants. Pb, Cr, As, Sb, V, and Cd are never present at greater than 20ppm. Se is never present at more than 50ppm. Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: The manufacturer released information stating this was soda-lime glass. The chemical composition of soda-lime glass was taken from the database of common building materials.

SILICON DIOXIDE		ID: 7631-86-9				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19:59:47				
%: 70.0000	GS: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler		

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8) ID: 60873-85-0 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:59:57 %: 5.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Filler HAZARD TYPE AGENCY AND LIST TITLES WARNINGS Vowarnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

SODIUM OXIDE				ID: 1313-59-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2021-07-08 19:59:56
%: 5.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

MAGNESIUM OXIDE

ID: 1309-48-4

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-07-08 19:59:59	
%: 2.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS		
CAN	МАК		Carcinogen Group 4 - Non-genotoxic carcinoge low risk under MAK/BAT levels		

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

				ID: 1344-28-1
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SC	HAZARD SCREENING DATE: 2021-07-08 20:00:01	
%: 1.0000	GS: BM-2	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
RES AOEC - Asthmagens		Asthm	agen (Rs) - sensi	itizer-induced

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

SC:BIO:PARTICLEBOARD2	%: 18.0000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- This table line can use two different particleboards based on different options. This particleboard is not used for door construction but is the primary core board for the furniture composition. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

SC:WOOD DUST

ID: SC:Bio

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened		
%: 50.0000 - 100.0000	GS: Not Screened	RC: Both	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
	Hazard Screening not performed			
metabolic activities, pesticides, a company only disclosed that the NAF adhesive. NAF-based resins resins made from soy, polyviny	e information on allergens, hyper-accumul and other potential hazards or sources of wood dust was 50-100% of the core's ch s are resins formulated with no added forr acetate, or methylene diisocyanate. Resin I adjusted accordingly. In addition, this pr	hazards which nemical compos naldehyde as p is in particleboa	may be found in sition. The cut sho art of the resin cr ard can be 0-40%	certain biological materials. The eet for the product lists that it uses ross-linking structure and include by composition so the

POLYVINYL ACETATE	LACETATE ID: 9003-20-7			
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-07-08 19:59:48
%: 40.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin crosslinking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

4,4'-DIPHENYLMETHANE DIISOCYANATE					ID: 101-68-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2021-07-08 19:59:48	
%: 40.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE:	Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
RES	МАК	Sensitizing Substance Sah - Danger of airway & skin sensitization
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
RES	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage

SUBSTANCE NOTES: The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin crosslinking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

METAL LEGS

%: 8.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This includes the 16 gauge metal tubing and mounting plate for options with tube legs. These come from two different manufacturers therefore there is a range of composition. Both are essentially sheet metal (carbon steel). Includes all options for legs including the sled base.

IRON, ELEMENTAL (PRIMARY C	ASRN IS 7439-89-6)			ID: 443783-52-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-07-08 19:59:45
%: 97.0000 - 100.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS	
END	TEDX - Potential Endocrine Disruptors	Pote	ntial Endocrine	e Disruptor

SUBSTANCE NOTES: Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 20:00:00			TE: 2021-07-08 20:00:00
%: 1.1000 - 1.6500	GS: LT-P1	RC: UN	IK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	١	WARI	NINGS	
END	TEDX - Potential Endocrine Disruptors	ors Potential Endocrine Disruptor		e Disruptor	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
REP	GHS - Japan	-	Тохіс	to reproducti	on - Category 1B [H360]

SUBSTANCE NOTES: Aluminum is a common residual but is below the threshold."Production of manganese metal is achieved by aluminum reduction of low iron-content manganese ore, and electrolytically from sulfate or chloride solution (Lewis 2001)." (ATSDR) Manganese with <0.1% metallic impurities can be produced electrolytically from a manganese sulfate solution (EPA 1984; Lewis 2001)." (ATSDR)

AADDED	
COPPER	

ID: 7440-50-8

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-07-08 20:00:03
%: 0.3500	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS	
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effe		uatic life with long lasting effects

SUBSTANCE NOTES: About 80% of the primary copper in the world comes from low-grade or poor sulfide ores, which are usually treated by pyrometallurgical methods, generally in the following sequence: (1) Beneficiation by froth flotation of ore to copper concentrate; (2) Optional partial roasting to obtain oxidized material or calcines; (3) two-stage pyrometallurgical extraction, (a) smelting concentrates to matte, (b) converting matte by oxidation to crude (converter or blister) copper; (4) Refining the crude copper, usually in two steps, (a) pyrometallurgically to fire-refined copper, (b) electrolytically to high-purity electrolytic copper. [Gerhartz, W. (exec ed.). Ullmann's Encyclopedia of Industrial Chemistry. 5th ed.Vol A1: Deerfield Beach, FL: VCH Publishers, 1985 to

Present., p. VA7 (86) 479]

SILICON, ELEMENTAL						ID	: 7440-21-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING [DATE: 2	2021-07-08	20:00:08	
%: Impurity/Residual	GS: LT-UNK	RC: UNK	NANO: No	SUBS	TANCE RO	LE: Impurit	y/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS				
None found			No warr	nings fou	und on HPC	Priority Ha	azard Lists
SUBSTANCE NOTES:							
MANGANESE						ID	: 7439-96-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING [DATE: 2	2021-07-08	20:00:06	
%: Impurity/Residual	GS: LT-P1	RC: UNK	NANO: No	SUBS	TANCE RO	LE: Impurit	y/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS				
END	TEDX - Potential Endocrine Disruptors	Pot	ential Endocr	ine Disru	uptor		
MUL	German FEA - Substances Hazardous t Waters	o Cla	ss 2 - Hazard	to Wate	ers		
REP	GHS - Japan	То	kic to reprodu	ction - C	ategory 1B	[H360]	

SUBSTANCE NOTES:						
SULFUR, PRECIPITATED			ID: 7704-34-9			
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 20:00:07				
%: Impurity/Residual	GS: LT-UNK	RC: UNK NANO: No SUBSTA	NCE ROLE: Impurity/Residual			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritatior				
SUBSTANCE NOTES:						
PHOSPHORUS			ID: 7723-14-0			
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 202	1-07-08 20:00:08			
%: Impurity/Residual	GS: BM-2	RC: UNK NANO: No SUBSTA	NCE ROLE: Impurity/Residual			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
MAM	US EPA - EPCRA Extremely Hazardous Substances	us Extremely Hazardous Substances				
РНҮ	EU - GHS (H-Statements)	H228 - Flammable solid				
SUBSTANCE NOTES:						
CARBON			ID: 7440-44-0			
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 202	1-07-08 20:00:08			
%: Impurity/Residual	GS: LT-UNK	RC: UNK NANO: No SUBSTA	NCE ROLE: Impurity/Residual			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No warnings found	on HPD Priority Hazard Lists			
SUBSTANCE NOTES:						
HEET METAL	%: 2.0000					
RODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES	CONSIDERED: Yes	MATERIAL TYPE: Metal			
RESIDUALS AND IMPURITIES NOT ersion 1 "The threshold applied to f level, i.e., 100 ppm or 1000 ppm. IPD." This includes average data a naterial has been tested therefore	ES: Residuals and impurities are considered Residuals and Impurities (R/I) is the same Residuals and impurities present below th as declared in the common product databa- residuals and impurities are for information	as the threshold applied to intention e declared Inventory Threshold do n se or in peer-reviewed scientific artic al purposes only and are not a guar	Practice Guidance, 10.02.17, ally added substances, in terms ot need to be reported on the cles. For this product, no actual antee of presence in the actual			

building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:

IRON, ELEMENTAL ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:59:45

%: 95.0000 - 97.0000	GS: LT-P1	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS	
END	TEDX - Potential Endocrine Disruptors	Po	tential Endocrine Di	sruptor
SUBSTANCE NOTES: Informatic	on per the manufacturer SDS listing metal o	composition		
_				
COPPER				ID: 7440-50-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	SCREENING DATE:	2021-07-08 20:00:10
%: 0.0000 - 0.5000	GS: LT-P1	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS	
AQU	EU - GHS (H-Statements)	H4	11 - Toxic to aquati	c life with long lasting effects
SUBSTANCE NOTES: This infor	mation is per the manufacturer SDS listing	the metal co	omposition	
MANGANESE				ID: 7439-96-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	SCREENING DATE:	2021-07-08 20:00:09
%: 0.0000 - 1.5000	GS: LT-P1	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS	
END	TEDX - Potential Endocrine Disruptors	Ро	tential Endocrine Di	sruptor
MUL	German FEA - Substances Hazardous t Waters	to Cla	ass 2 - Hazard to Wa	aters
REP	GHS - Japan	То	xic to reproduction	- Category 1B [H360]
SUBSTANCE NOTES: This infor	mation is per the manufacturer SDS listing	the metal co	omposition	
•				
SILICON, ELEMENTAL				ID: 7440-21-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE:	2021-07-08 20:00:15
%: 0.0000 - 0.6000	GS: LT-UNK	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: This infor	mation is per the manufacturer SDS listing	the metal co	omposition	
•				
CALCIUM				ID: 7440-70-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE:	2021-07-08 20:00:15
%: 0.0000 - 0.1000	GS: LT-P1	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS	
РНҮ	EU - GHS (H-Statements)	H2	61 - In contact with	water releases flammable gases

SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal composition.

	Pharos Chemical and Materials Library	HAZARD S	SCREENING DATE:	2021-07-08 20:00:16	
%: 0.0000 - 0.1500	GS: NoGS	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Alloy elemen	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings	found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: This infor	mation is per the manufacturer SDS listing	the metal co	omposition		
CARBON				ID: 7440-44-	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	SCREENING DATE:	2021-07-08 20:00:16	
%: 0.0000 - 0.6000	GS: LT-UNK	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Alloy elemen	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists	

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Formaldehyde resins are listed on the SDS by the manufacturer at 10-30%. Inquiry to the manufacturer did not list additional information as it is proprietary to the company. The product sheet states that there is no added urea-formaldehyde so additional options for formaldehyde resins will be listed as possible substances since the exact information is unknown. Types of formaldehyde resins include: melamine resin, phenol-formaldehyde resin, polyoxymethylene plastics, 1,4-butanediol, and methylene diphenyl diisocyanate.

• · · · · · · · · · · · · · · · · · · ·					
WOOD DUST - UNSPECIFIED				ID: Not	registered
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:59:51	
%: 25.0000 - 75.0000	GS: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE:	Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found			No warnings f	ound on HPD Priority Ha	zard Lists
SUBSTANCE NOTES:					
UNDISCLOSED				ID: U	ndisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:59:53	
et - Sevens					

%: 10.0000 - 30.0000	GS: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings f	ound on HPD Priority Hazard Lists
	tance is listed as a possible in the chemica it belongs to. All resins in the family are so			
UNDISCLOSED				ID: Undisclose
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:59:54
%: 10.0000 - 30.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
RES	AOEC - Asthmagens	Asthm	nagen (Rs) - sensi	itizer-induced
SUBSTANCE NOTES: This is a p listed on the SDS as a possible i	possible substance. Due to manufacturer p resin.	roprietary info	rmation the exact	t composition is unknown. This is
UNDISCLOSED				ID: Undisclose
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:59:55
%: 10.0000 - 30.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings f	ound on HPD Priority Hazard Lists
	tance is listed as a possible in the chemica it belongs to. All resins in the family are so			
CELLULOSE, MICROCRYSTALLI	NE			ID: 9004-34
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:59:55
%: 10.0000 - 20.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
RES	AOEC - Asthmagens	Asthm	nagen (Rs) - sensi	tizer-induced
SUBSTANCE NOTES:				
C:BIO:WOODVENEER	%: 1.0000			
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CO	NSIDERED: Ye	es MA	TERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- Pair uses a variety of domestic veneers for this collection. They also use laminate therefore this is an alternate material.

SC:DOMESTIC WOOD VENEER ID: SC:Bio						
HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: Not Screened				
%: 100.0000	GS: Not Screened	RC: UNK NANO: No	SUBSTANCE ROLE: Structure component			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
	Hazard Screening not performed					
SUBSTANCE NOTES: Version: SCBioMats/2018-02						

Category: Tree-based materials Identifier: Domestic Veneer, various choices

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

LAMINATE	%: 1.0000	

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Paper or Cardboard

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Laminate is an alternate option to wood veneer in this collection. To fill in the gaps of the manufacturer data the Pharos common building material database was used.

SC:KRAFT PAPER				ID: SC:Bi
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	Not Screened
%: 50.0000 - 50.9700	GS: Not Screened	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
	Hazard Screening not performed			
SUBSTANCE NOTES:				
Version: SCBioMats/2018-02-23 Category: Tree-based materials				
Galegory: free-based materials				

, EALID CONCLIMING WEI HOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:59:52
o: 20.0000 - 23.9800	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
RES	AOEC - Asthmagens	Asthr	nagen (Rs) - sens	itizer-induced
SUBSTANCE NOTES: Information	on is based on the database of common bu	uilding materia	ıls.	
ELLULOSE, MICROCRYSTALL	INE			ID: 9004-3
AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:59:57
6: 3.6100 - 10.0500	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
RES	AOEC - Asthmagens	Asthr	nagen (Rs) - sens	itizer-induced
SUBSTANCE NOTES: This infor	mation is based on the database of commo	on buildina ma	aterials.	
		0		
ELAMINE/FORMALDEHYDE R	ESIN			ID: 9003-0
AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:00:09
: 0.0100 - 0.3400	GS: LT-UNK	RC: UNK	NANO: No SU	BSTANCE ROLE: Polymer spec
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
			No warnings f	ound on HPD Priority Hazard Lis
None found			ite trainige i	
	rial laminate was supplemented with inform	nation from th		nmon building materials.
	rial laminate was supplemented with inform	nation from th		nmon building materials.
	rial laminate was supplemented with inform	nation from th		nmon building materials. ID: 9011-0
SUBSTANCE NOTES: The mate	rial laminate was supplemented with inform Pharos Chemical and Materials Library		e database of cor	ID: 9011-0
SUBSTANCE NOTES: The mate			e database of cor	ID: 9011-0
SUBSTANCE NOTES: The mate OLYNOXYLIN AZARD SCREENING METHOD: b: 0.0000 - 4.8900	Pharos Chemical and Materials Library	HAZARD SC RC: UNK	e database of con	ID: 9011-0 2021-07-08 20:00:16
SUBSTANCE NOTES: The mate OLYNOXYLIN AZARD SCREENING METHOD: 5: 0.0000 - 4.8900 HAZARD TYPE	Pharos Chemical and Materials Library GS: LT-P1	HAZARD SC RC: UNK WARI	e database of con REENING DATE: NANO: No	ID: 9011-0 2021-07-08 20:00:16 SUBSTANCE ROLE: Monomer
SUBSTANCE NOTES: The mate OLYNOXYLIN AZARD SCREENING METHOD: :: 0.0000 - 4.8900 HAZARD TYPE RES	Pharos Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES	HAZARD SC RC: UNK WARI Asthr	e database of con REENING DATE: NANO: No NINGS nagen (Rs) - sens	ID: 9011-0 2021-07-08 20:00:16 SUBSTANCE ROLE: Monomer
SUBSTANCE NOTES: The mate OLYNOXYLIN AZARD SCREENING METHOD: 5: 0.0000 - 4.8900 HAZARD TYPE RES	Pharos Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens	HAZARD SC RC: UNK WARI Asthr	e database of con REENING DATE: NANO: No NINGS nagen (Rs) - sens	ID: 9011-0 2021-07-08 20:00:16 SUBSTANCE ROLE: Monomer
SUBSTANCE NOTES: The mate OLYNOXYLIN AZARD SCREENING METHOD: b: 0.0000 - 4.8900 HAZARD TYPE RES SUBSTANCE NOTES: Information	Pharos Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens	HAZARD SC RC: UNK WARI Asthr	e database of con REENING DATE: NANO: No NINGS nagen (Rs) - sens	ID: 9011-0 2021-07-08 20:00:16 SUBSTANCE ROLE: Monomer
SUBSTANCE NOTES: The mate OLYNOXYLIN AZARD SCREENING METHOD: :: 0.0000 - 4.8900 HAZARD TYPE RES SUBSTANCE NOTES: Information EXANEDIOIC ACID, POLYMER THANEDIAMINE, REACTION PI PICHLOROHYDRIN	Pharos Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens on for laminate was supplemented with info	HAZARD SC RC: UNK WARI Asthn	e database of con REENING DATE: NANO: No NINGS nagen (Rs) - sens the database of o	ID: 9011-0 2021-07-08 20:00:16 SUBSTANCE ROLE: Monomer itizer-induced common building materials. ID: 68583-7

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

ID: SC:Bio

None found

SUBSTANCE NOTES: The material laminate was supplemented with information from the database of common building materials.

SC:BIO:PLYWOOD %: 1.0000 PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- This is from the database of common building materials. All entries are generalized.

SC:WOOD

HAZARD SCREENING M	IETHOD: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	Not Screened
%: 95.0000	GS: Not Screened	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
	Hazard Screening not performed			

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: mixed- unknown sources

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

"The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

UNDISCLOSED

%: 0.0100

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This furniture collection can contain one of two wood adhesives or both. The low option they have the maximum percentage of composition by weight of 1.5% for low option and 5% for the high option. In the HPD they are listed as adhesive 1 and adhesive 2. This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

POLYVINYL ACETATE				ID: 9003-20-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-07-08 19:59:49
%: 30.0000 - 39.2300	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

WATER				ID: 7732-18-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:59:52
%: 25.0000 - 40.1000	GS: BM-4	RC: UNK	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	NINGS	
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

TALC				ID: 14807-96-6
HAZARD SCREENING METH	HOD: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:59:56
%: 6.0000 - 8.7200	GS: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
CAN	МАК		nogen Group 3B ot sufficient for cl	- Evidence of carcinogenic effects assification
CAN	IARC	Group	o 2b - Possibly ca	rcinogenic to humans

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

Actinolite, anthophyllite and tremolite may occur in some talc deposits; when asbestiform, they constitute asbestos and, when not asbestiform, they are referred to as mineral fragments or cleavage fragments." and "Minerals commonly found in talc products include chlorite and carbonate. Less commonly, talc products contain tremolite, anthophyllite and serpentine."

IARC Working Group on the Evaluation of Carcinogenic Risk to Humans. Carbon Black, Titanium Dioxide, and Talc. Lyon (FR): International Agency for Research on Cancer; 2010. (IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, No. 93.) Available from: https://www.ncbi.nlm.nih.gov/books/NBK326521/.

2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE

ID: 6846-50-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:59:56
%: 5.0000 - 8.7200	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
END	TEDX - Potential Endocrine Disruptors	Poter	ntial Endocrine Di	sruptor

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

DIPROPYLENE GLYCOL MONO	METHYL ETHER			ID: 34590-94-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE:	2021-07-08 20:00:05
%: 0.1000 - 0.7000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

POLYVINYL ALCOHOL				ID: 9002-89-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:00:13
%: 0.0000 - 1.2200	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	IINGS	
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

ALUMINUM CHLORIDE

ID: 7446-70-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-07-08 20:00:17
%: 0.0000 - 1.2200	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		ere skin burns and eye damage
RES	AOEC - Asthmagens	Asth	magen (Rs) - se	ensitizer-induced

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

WOOD ADHESIVE 2

%: 0.0100

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This furniture collection can contain one of two wood adhesives or both. The low option they have the maximum percentage of composition by weight of 1.5% for low option and 5% for the high option. In the HPD they are listed as adhesive 1 and adhesive 2. This has one missing ingredient that is at the threshold of 0.01. It is highly proprietary and the company will not disclose. All other ingredients are disclosed. The ingredient is listed as a resin dispersion.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

IAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:59:49
6: 40.0000 - 50.0000	GS: BM-4	RC: UNK	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	NINGS	
None found			No warnings f	found on HPD Priority Hazard List
SUBSTANCE NOTES:				
OLYCHLOROPRENE				ID: 9010-9 8
IAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:59:50
6: 30.0000 - 40.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	NINGS	
None found			No warnings f	found on HPD Priority Hazard List
SUBSTANCE NOTES:				
				ID: 1314-1 3
AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:00:02
6: 1.0000 - 3.0000	GS: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Accelerator
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	NINGS	
AQU	EU - GHS (H-Statements)	H400	- Very toxic to ac	uatic life
AQU	EU - GHS (H-Statements)	H410	- Very toxic to ac	uatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors	Poten	tial Endocrine Di	sruptor
RES	AOEC - Asthmagens	Asthm	nagen (Rs) - sens	itizer-induced
MUL	German FEA - Substances Hazardous t Waters	o Class	2 - Hazard to Wa	aters
SUBSTANCE NOTES:				
ESIN ACIDS AND ROSIN ACID	S, FUMARATED, CALCIUM SALTS			ID: 94387-04
AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:00:04
6: 0.1000 - 5.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	NINGS	
MUL	German FEA - Substances Hazardous t	o Class	2 - Hazard to Wa	aters

MISC. HARDWARE

%: 0.0100 - 68.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Hardware is noted for informational purposes only and is covered by the special condition for metal fasteners. Please see the screening notes for more detail.

IRON, ELEMENTAL ID: 7439-89-6 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:59:46 %: 90.0000 - 97.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element HAZARD TYPE AGENCY AND LIST TITLES WARNINGS END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: Residuals and impurities were screened using the Pharos database. None listed. Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon. All impurities are below the threshold.

GLASS TINT %: 0.0100

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

COBALT	ID: 7440-48-4
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19:59:43

%: 99.0000

GS: LT-1

RC: UNK NANO: Unknown SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	CA EPA - Prop 65	Carcinogen
GEN	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	МАК	Sensitizing Substance Sah - Danger of airway & skin sensitization
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
GEN	МАК	Germ Cell Mutagen 3a
REP	EU - GHS (H-Statements)	H360F - May damage fertility
CAN	GHS - Australia	H350i - May cause cancer by inhalation
REP	GHS - Australia	H360F - May damage fertility

SUBSTANCE NOTES: Co, Se and Ni may be added to impart colour to some tinted glasses. NSG Group declare that Co is never present at greater than 200ppm

NICKEL

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 2	2021-07-08 19:59:44
%: 99.0000	GS: LT-1	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
МАМ	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	МАК	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: Co, Se and Ni may be added to impart colour to some tinted glasses. NSG Group declare that Co is never present at greater than 200ppm

SELENIUM, ELEMENTAL		ID: 7782-49-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19:59:44
%: 99.0000	GS: LT-P1	RC: UNK NANO: Unknown SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
РВТ	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
MUL	German FEA - Substances Hazardous t Waters	o Class 2 - Hazard to Waters

SUBSTANCE NOTES: Co, Se and Ni may be added to impart colour to some tinted glasses. NSG Group declare that Co is never present at greater than 200ppm

UV CURED WOOD FINISH

%: 0.0100

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: The acrylate polymer is proprietary company information and can not be disclosed outside the manufacturer. It is not a hazardous substance as it is not reported on the SDS. The threshold level is 0.01. No substitute or clarification of information could be found in the database of common building materials.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

BISPHENOL A-EPICHLOROHYDRIN ACRYLATE ID: 55818-57-0 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:59:51 %: 25.0000 - 50.0000 GS: BM-1 RC: UNK NANO: No SUBSTANCE ROLE: Film former HAZARD TYPE AGENCY AND LIST TITLES WARNINGS Novernings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The residual monomer content of bisphenol-A in the epoxy resin as produced is a maximum of 1,000 ppm. The residual bisphenol-A will be further reacted when the product is used (i.e. when the epoxy resin is cured)." (EU Risk Assessment, 2003)

Epichlorohydrin (ECH), 1-chloro-2,3-epoxypropane, is a raw material used in the production of epoxy resins, synthetic glycerol, elastomers, paper, and pharmaceuticals [1-2]. ECH can enter drinking water supplies by leaching from epoxy resin coatings on pipes or through flocculating agents in water treatment. (Agilent Technologies)

DIPROPYLENE GLYCOL DIAC	RYLATE			ID: 57472-68-1
HAZARD SCREENING METHO	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2021-07-08 19:59:54
%: 10.0000 - 25.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Antioxidant
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				
TRIPROPYLENE GLYCOL DIA	CRYLATE			ID: 42978-66-5
HAZARD SCREENING METHO	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2021-07-08 19:59:53
%: 10.0000 - 25.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	МАК	Sensitizing Substance Sh - Danger of skin sensitization
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: No known impurities.

EPICHLOROHYDRIN

ID: 106-89-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:59:32

%: Impurity/Residual

GS: LT-1

RC: UNK NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
SKI	МАК	Sensitizing Substance Sh - Danger of skin sensitization
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	CA EPA - Prop 65	Carcinogen
МАМ	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
CAN	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
МАМ	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
REP	CA EPA - Prop 65	Reproductive Toxicity - Male
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
CAN	GHS - Australia	H350 - May cause cancer
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
GEN	GHS - Australia	H340 - May cause genetic defects
CAN	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
CAN	GHS - Malaysia	H350 - May cause cancer
CAN	GHS - Japan	Carcinogenicity - Category 1B [H350]

SUBSTANCE NOTES: Epichlorohydrin (ECH), 1-chloro-2,3-epoxypropane, is a raw material used in the production of epoxy resins, synthetic glycerol, elastomers, paper, and pharmaceuticals [1-2]. ECH can enter drinking water supplies by leaching from epoxy resin coatings on pipes or through flocculating agents in water treatment. (Agilent Technologies)

%: Impurity/Residual	GS: BM-1 RC: U	JNK NANO: No SUBSTANCE ROLE: Impurity/Residua
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Substance of Possible Concern
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
DEV	CA EPA - Prop 65	Developmental toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
REP	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity
SKI	МАК	Sensitizing Substance SP - Danger of photocontact sensitization
REP	EU - GHS (H-Statements)	H360F - May damage fertility
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]
	sidual monomer content of bisphenol-A in the epoxy acted when the product is used (i.e. when the epoxy	r resin as produced is a maximum of 1,000 ppm. The residu r resin is cured)." (EU Risk Assessment, 2003)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 20:00:12

%: Impurity/Residual

RC: UNK NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Substance of Possible Concern
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
DEV	CA EPA - Prop 65	Developmental toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
REP	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity
SKI	МАК	Sensitizing Substance SP - Danger of photocontact sensitization
REP	EU - GHS (H-Statements)	H360F - May damage fertility
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]
	al monomer content of bisphenol-A in the epoxy ed when the product is used (i.e. when the epoxy	resin as produced is a maximum of 1,000 ppm. The residual resin is cured)." (EU Risk Assessment, 2003)
DIPROPYLENE GLYCOL (PRIMAR	RY CASRN IS 25265-71-8)	ID: 78644-49-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library HAZ	ARD SCREENING DATE: 2021-07-08 20:00:13

%: Impurity/Residual	GS: LT-UNK	RC: UNK NA	IANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	IINGS	
None found			No warn	ings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Listed as <1.0% content in BASF MSDS for commercial DGMA (Laromer DPGDA).

DROCHLORIC ACID

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 20:00:14 GS: BM-2 BC: UNK NANO: No SUBSTANCE ROLE: Impurity/Residual %: Impurity/Residual HAZARD TYPE AGENCY AND LIST TITLES WARNINGS EU - GHS (H-Statements) SKI H314 - Causes severe skin burns and eye damage MAM EU - GHS (H-Statements) H331 - Toxic if inhaled RES AOEC - Asthmagens Asthmagen (Rr) - irritant-induced MAM **US EPA - EPCRA Extremely Hazardous Extremely Hazardous Substances** Substances

SUBSTANCE NOTES: "The manufacturing process for pyrogenic silicas is based mainly on the combustion of volatile silanes, especially silicon tetrachloride, in an oxygen-hydrogen burner. Primary particles (7-50 nm particle size) of amorphous silica fuse together in the hightemperature flame to yield stable aggregates of between 100 and 500 nm in diameter. These aggregates form micron-sized agglomerates. The finely divided silica is separated from the hydrochloric acid-containing off-gas stream in filter stations. The hydrochloric acid content of the product is commonly reduced to less than 100 ppm by desorbing the hydrochloric acid with air in a fluid-bed reactor. Pyrogenic silica appears as a fluffy white powder. [IARC. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man. Geneva: World Health Organization, International Agency for Research on Cancer, 1972-PRESENT. (Multivolume work). Available at:http://monographs.iarc.fr/index.php p. V68 56 (1997)]" (HSDB)

SILICON DIOXIDE		ID: 7631-86-9
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 20:00:14
%: 0.0000 - 10.0000	GS: BM-1	RC: UNK NANO: No SUBSTANCE ROLE: Abrasion resistance
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: "The manufacturing process for pyrogenic silicas is based mainly on the combustion of volatile silanes, especially silicon tetrachloride, in an oxygen-hydrogen burner. Primary particles (7-50 nm particle size) of amorphous silica fuse together in the hightemperature flame to yield stable aggregates of between 100 and 500 nm in diameter. These aggregates form micron-sized agglomerates. The finely divided silica is separated from the hydrochloric acid-containing off-gas stream in filter stations. The hydrochloric acid content of the product is commonly reduced to less than 100 ppm by desorbing the hydrochloric acid with air in a fluid-bed reactor. Pyrogenic silica appears as a fluffy white powder. [IARC, Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man. Geneva: World Health

Organization, International Agency for Research on Cancer, 1972-PRESENT. (Multivolume work). Available PRathttp://monographs.iarc.fr/index.php p. V68 56 (1997) L (HSDB) IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This option covers all colors and contains alternate materials based on different pigments. This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BENZENEDICARBOXYLIC ACID, 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIOL AND HEXANEDIOIC ACID

ID: 40471-09-8

HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE:	2021-07-08 19:59:47
%: 50.0000 - 60.0000	GS: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	RD SCF	REENING DATE:	2021-07-08 19:59:50
%: 25.0000 - 50.0000	GS: LT-1	RC: U	NK	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS	
CAN	EU - GHS (H-Statements)		H351 ·	- Suspected of c	ausing cancer
CAN	US CDC - Occupational Carcinogens		Occup	oational Carcinog	gen
CAN	CA EPA - Prop 65		Carcin	nogen - specific t	to chemical form or exposure route
CAN	IARC		•	2B - Possibly ca occupational sou	arcinogenic to humans - inhaled rces
CAN	МАК			o 1	- Evidence of carcinogenic effects tablish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors		Potent	tial Endocrine Di	sruptor
CAN	МАК			nogen Group 4 - sk under MAK/BA	Non-genotoxic carcinogen with AT levels

SUBSTANCE NOTES: This is not in all color options and therefore the depending on the color choice this substance is a "may contain".

PYROMELLITIC ACID 2-PHENYL-2-IMIDAZOLINE SALT (1:1) ID: 54553-90-1 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:59:58 %: 2.5000 - 10.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Coating HAZARD TYPE AGENCY AND LIST TITLES WARNINGS MUL German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES:

TRIGLYCIDYL ISOCYANURATE

ID: 2451-62-9

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE	2021-07-08 19:59:59
%: 2.5000 - 10.0000	GS: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Curing agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RES	МАК	Sensitizing Substance Sah - Danger of airway & skin sensitization
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
GEN	EU - GHS (H-Statements)	H340 - May cause genetic defects
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
GEN	EU - SVHC Authorisation List	Mutagenic - Candidate list
GEN	GHS - Korea	Germ cell mutagenicity - Category 1 [H340 - May cause genetic defects]
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
GEN	GHS - Japan	Germ cell mutagenicity - Category 1B [H340]

SUBSTANCE NOTES:

BARIUM SULFATE					ID: 7727-43-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:59:58	
%: 2.5000 - 10.0000	GS: BM-2	RC: UNK	NANO: No	SUBSTANCE ROLE:	Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
CAN	МАК		inogen Group 4 - isk under MAK/B/	Non-genotoxic carcino AT levels	ogen with

SUBSTANCE NOTES: This substance is not in all color options and should be considered a "may contain".

			ID: 1344-28-1
Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:00:05
GS: BM-2	RC: UNK	NANO: No	SUBSTANCE ROLE: Abrasive
AGENCY AND LIST TITLES	WAR	NINGS	
AOEC - Asthmagens	Asthr	magen (Rs) - sens	sitizer-induced
	GS: BM-2	GS: BM-2 RC: UNK AGENCY AND LIST TITLES WAR	GS: BM-2 RC: UNK NANO: No AGENCY AND LIST TITLES WARNINGS

SUBSTANCE NOTES:

QUARTZ

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 20:00:04
%: 0.1000 - 1.0000	GS: LT-1	RC: UNK NANO: No SUBSTANCE ROLE: Abrasion resistance
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: This is not in all color options therefore it is a "may contain" depending on the color choice.

ALUMINUM HYDROXIDE, DRIED)			ID: 21645-51-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-07-08 19:59:19
%: 0.0000 - 2.5000	GS: BM-2	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is not in all color options therefore it is a "may contain" depending on the color choice.

KAOLIN				ID: 1332-58-7
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:00:11
%: 0.0000 - 2.5000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
CAN ADHESIVE 3	MAK %: 0.0100	Carcinogen Group 3B - Evidence of carcinoge but not sufficient for classification		_

PRODUSTAINTEENIODED: Bale expin SDS this is a log what was a solution of the s

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

SILICON, ELEMENTAL ID: 7440-21-3 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:59:46 %: 90.0000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Monomer HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings on HPD Priority Hazard Lists

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OCTAMETHYLCYCLOTETRASILOXANE					7-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 20:00:01	
%: 1.0000	GS: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Monomer	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
РВТ	EU - ESIS PBT	Under PBT evaluation
РВТ	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
REP	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
РВТ	EU - SVHC Authorisation List	PBT - Candidate list
РВТ	EU - SVHC Authorisation List	vPvB - Candidate list

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

METHYLSILANETRIOL TRIACETATE ID: 4253-34-3						
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 20:00:00				
%: 1.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Monomer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found			No warnings	ound on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	SCS Indoor Advantage Gold - Classroom & Office scenario			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Systems and tables: Systems: Belay, Fade, Gradient, Mix, Olli, Simple Beam, Swing, Swing Bar, Swing High, Swing Jr, Swing Low; Conferencing: Baby Beluga, Beluga, BYOT, Cape, Gradient Conference Tables, Serif, Sevens; Systems Accessories: 101, Bag Hook, Crostini, Crouton, End of Run Panels and Shelving, Felt Cable Manager, Gradient Storage, Hanging Whiteboard, Hanging Woodboard, Olli Coat Rack, Mix Divider Screen, Nest, Nest Screen, Olli Butterfly Screen, Olli Cushion, Olli Plug, Olli Frame, Olli Meeting Table, Oscar, Planter Hook, Saltine, Stackable Caddy, Stackable Planter, Stackable Storage, Stash, Swing Beam Mounted Screen, Swing Modesty, Swing/Olli/ BYOT Power Sleeve, Toast, Tuck, Wally CERTIFICATE URL:	ISSUE DATE: 2021-12- 18	EXPIRY DATE: 2022- 12-17	CERTIFIER OR LAB: SCS Global	

CERTIFICATION AND COMPLIANCE NOTES: **#SCS-IAQ-05854**

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Our Conferencing solutions come in a wide range of options. To cover that full range we have created a low and high option and all configurations are included in that range. The product category is defined as Conferencing including Cape, BYOT & BYOT Trapezoid, Beluga & Baby Beluga, Serif and Sevens. This HPD covers all products in those lines. The "low" option is 36" Seven Round Table with Wood Top and Metal Legs. . For the "high" option we used 240"W x 72"D BYOT Fin Table, w/ Glass Top, Wood Subtop and Metal Legs.

All other configurations are within this range.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

"The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

SPECIAL CONDITION: Minor Fasteners

Version: SCMinorFasteners/2020-07-16

All hardware for this system not reported is in alignment with HPDC Special Conditions- Minor Fasteners. The total weight of all metal fasteners is <5% of the total weight of the system. Any fasteners reported above that threshold are listed on the HPD. The total combined weight of the commodity fasteners is between 1% and 2%. All minor fasteners fit within the specific guidelines as outlined in the HPD Guide for Special Conditions They are purchased from a third party, made to a generic specification, e.g. ASTM, and not made to order for the specific manufacturer.

SPECIAL CONDITION: Electronics Version: SCElec/2018-02-23

Meet - Sevens hpdrepository.hpd-collaborative.org Electronics are also covered by a special condition and reported as such. All electrical components are EU RoHS compliant without exemptions. Electronics comprising 10% or less of the product by weight are included in this Special Condition; if electronics comprise greater than 10% of the product by weight, they must be inventoried separately. The electronic components must be fully enclosed and sealed, there can be no possible exposure to the components during the use phase, and there must be a guaranteed take-back program. All electrical components covered by this HPD are <3% by weight.

Disclaimer - Every effort has been made to report the substances in this product by the manufacturer to the listed threshold. This is a voluntary, selfreported effort. Any errors or omissions shall be considered human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

MANUFACTURER INFORMATION

MANUFACTURER: Pair ADDRESS: 500 Davis Street San Francisco CA 94111, United States WEBSITE: http://madebypair.com

CONTACT NAME: Astor Ng TITLE: Project Manager PHONE: 415.747.7300 EMAIL: astor@madebypair.com

NoGS No GreenScreen.

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity **CAN** Cancer **DEV** Developmental toxicity **END** Endocrine activity EYE Eye irritation/corrosivity **GEN** Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity **MUL** Multiple **NEU** Neurotoxicity NF Not found on Priority Hazard Lists **OZO** Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) **REP** Reproductive **RES** Respiratory sensitization SKI Skin sensitization/irritation/corrosivity **UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical) BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2 Benchmark 2 (use but search for safer substitutes) BM-1 Benchmark 1 (avoid - chemical of high concern) BM-U Benchmark Unspecified (due to insufficient data) LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content None Does not include recycled content

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

UNK Inclusion of recycled content is unknown

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.