created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 26944** 

CLASSIFICATION: 12 51 83 Custom Office Furniture

PRODUCT DESCRIPTION: Beluga is a sleek yet inviting design that brings a comforting element to any meeting space. The powder-coated steel base creates a sturdy foundation for the soft touch glass top, impervious to fingerprints. Baby Beluga is a petite version of our Beluga featuring a powder coated base and soft touch glass that is impervious to fingerprints. It's perfect in any setting. This HPD includes the Pair product lines for conferencing: Cape, BYOT & BYOT Trapezoid, Beluga & Baby Beluga, Serif and Sevens. These table collections supporting small meetings, communal spaces, and conferencing. Seamless power integration with options supporting AV and data. The collection offers a comprehensive offering of surface materials, shapes, and sizes along with a variety of base styles including seated and bar height.



# Section 1: Summary

## **Nested Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

- Nested Materials Method
- C Basic Method

**Threshold Disclosed Per** 

- Material
- Product

**Threshold Level** 

- C 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities

Considered in 17 of 17 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are: Yes Ex/SC 
 Yes 
 No Characterized

% weight and role provided for all substances except SC

substances characterized according to SC guidance. ⊙ Yes Ex/SC ○ Yes ○ No Screened

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified ○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

SC:BIO:PARTICLEBOARDFORFURNITURECONSTRUCTION [ SC:WOOD DUST Not Screened ] SC:BIO:MDF [ SC:WOOD DUST Not Screened | FLOAT GLASS TOP | SILICON DIOXIDE BM-1 | CAN CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8) LT-P1 SODIUM OXIDE LT-UNK MAGNESIUM OXIDE LT-UNK | CAN ALUMINUM OXIDE BM-2 | RES ] SC:BIO:PARTICLEBOARD2 [ SC:WOOD DUST Not Screened POLYVINYL ACETATE LT-UNK 4,4'-DIPHENYLMETHANE DIISOCYANATE LT-UNK | CAN | MUL | RES | SKI | EYE ] METAL LEGS [ IRON, ELEMENTAL (PRIMARY CASRN IS 7439-89-6) LT-P1 | END MANGANESE LT-P1 | END | MUL | REP COPPER LT-P1 | AQU SILICON, ELEMENTAL LT-UNK MANGANESE LT-P1 | END | MUL | REP SULFUR, PRECIPITATED LT-UNK | SKI PHOSPHORUS BM-2 | MAM | PHY CARBON LT-UNK ] SHEET METAL [ IRON, ELEMENTAL LT-P1 | END COPPER LT-P1 | AQU MANGANESE LT-P1 | END | MUL | REP SILICON, ELEMENTAL LT-UNK CALCIUM LT-P1 | PHY IRON ALLOY, BASE, FE,P (FERROPHOSPHORUS) NoGS CARBON LT-UNK ] UNDISCLOSED [ WOOD DUST - UNSPECIFIED NoGS UNDISCLOSED NoGS UNDISCLOSED LT-P1 | RES UNDISCLOSED LT-UNK CELLULOSE, MICROCRYSTALLINE LT-UNK | RES ] SC:BIO:WOODVENEER [ SC:DOMESTIC WOOD VENEER Not Screened ] LAMINATE [ SC:KRAFT PAPER Not Screened PHENOL-FORMALDEHYDE RESIN LT-P1 | RES **CELLULOSE, MICROCRYSTALLINE LT-UNK | RES** MELAMINE/FORMALDEHYDE RESIN LT-UNK POLYNOXYLIN LT-P1 | RES HEXANEDIOIC ACID, POLYMER WITH N-(2-AMINOETHYL)-1,2Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

#### **INVENTORY AND SCREENING NOTES:**

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

Our Conferencing solutions come in a wide range of options. To cover that full range we have created a low and high option and all configurations are included in that range. The product category is defined as Conferencing including Cape, BYOT & BYOT Trapezoid, Beluga & Baby Beluga, Serif and Sevens. This HPD covers all products in those lines. The "low" option is 36" Seven Round Table with Wood Top and Metal Legs. . For the "high" option we used 240"W x 72"D BYOT Fin Table, w/ Glass Top, Wood Subtop and Metal Legs.

All other configurations are within this range.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

"The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no

ETHANEDIAMINE, REACTION PRODUCTS WITH DIMETHYLAMINE AND EPICHLOROHYDRIN LT-UNK ] SC:BIO:PLYWOOD [ SC:WOOD Not Screened | WOOD ADHESIVE 1 | POLYVINYL ACETATE LT-UNK WATER BM-4 TALC BM-1 | CAN 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE LT-P1 | END DIPROPYLENE GLYCOL MONOMETHYL ETHER LT-UNK POLYVINYL ALCOHOL LT-UNK ALUMINUM CHLORIDE LT-P1 | SKI | RES ] WOOD ADHESIVE 2 [ WATER (PRIMARY CASRN IS 7732-18-5) BM-4 POLYCHLOROPRENE LT-UNK ZINC OXIDE BM-1 | AQU | END | RES | MUL RESIN ACIDS AND ROSIN ACIDS, FUMARATED, CALCIUM SALTS LT-P1 | MUL ] MISC. HARDWARE [ IRON, ELEMENTAL LT-P1 | END ] GLASS TINT [ COBALT LT-1 | CAN | REP | MUL | RES | GEN | SKI NICKEL LT-1 | CAN | RES | MAM | MUL | SKI SELENIUM, ELEMENTAL LT-P1 | CAN | PBT | MAM | MUL ] UV CURED WOOD FINISH [ BISPHENOL A-**EPICHLOROHYDRIN ACRYLATE BM-1 DIPROPYLENE GLYCOL** DIACRYLATE LT-UNK TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | SKI | EYE | AQU | MUL *EPICHLOROHYDRIN* LT-1 | CAN | END | SKI | MUL | MAM | REP | GEN BISPHENOL A BM-1 | END | MUL | REP | DEV | SKI | EYE BISPHENOL A BM-1 | END | MUL | REP | DEV | SKI | EYE DIPROPYLENE GLYCOL (PRIMARY CASRN IS 25265-71-8) LT-UNK HYDROCHLORIC ACID BM-2 | SKI | MAM | RES SILICON DIOXIDE BM-1 | CAN ] POWDER COAT FINISH FOR METAL LEGS [ 1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BENZENEDICARBOXYLIC ACID, 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIOL AND HEXANEDIOIC ACID NOGS TITANIUM DIOXIDE LT-1 | CAN | END PYROMELLITIC ACID 2-PHENYL-2-IMIDAZOLINE SALT (1:1) LT-P1 | MUL TRIGLYCIDYL ISOCYANURATE LT-1 | MUL | MAM | RES | SKI | GEN | EYE BARIUM SULFATE BM-2 | CAN ALUMINUM OXIDE BM-2 | RES QUARTZ LT-1 | CAN ALUMINUM HYDROXIDE, DRIED BM-2 KAOLIN LT-UNK | CAN ] ADHESIVE 3 [ SILICON, ELEMENTAL LT-UNK OCTAMETHYLCYCLOTETRASILOXANE BM-1 | END | MUL | PBT | REP **METHYLSILANETRIOL TRIACETATE LT-UNK ]** 

actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

SPECIAL CONDITION: Minor Fasteners

Version: SCMinorFasteners/2020-07-16

All hardware for this system not reported is in alignment with HPDC Special Conditions- Minor Fasteners. The total weight of all metal fasteners is <5% of the total weight of the system. Any fasteners reported above that threshold are listed on the HPD. The total combined weight of the commodity fasteners is between 1% and 2%. All minor fasteners fit within the specific guidelines as outlined in the HPD Guide for Special Conditions They are purchased from a third party, made to a generic specification, e.g. ASTM, and not made to order for the specific manufacturer.

SPECIAL CONDITION: Electronics

Version: SCElec/2018-02-23

Electronics are also covered by a special condition and reported as such. All electrical components are EU RoHS compliant without exemptions. Electronics comprising 10% or less of the product by weight are included in this Special Condition; if electronics comprise greater than 10% of the product by weight, they must be inventoried separately. The electronic components must be fully enclosed and sealed, there can be no possible exposure to the components during the use phase, and there must be a guaranteed take-back program. All electrical components covered by this HPD are <3% by weight.

Disclaimer - Every effort has been made to report the substances in this product by the manufacturer to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listinas.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

# **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

PREPARER: Self-Prepared

**SCREENING DATE: 2021-07-08** 

C Yes O No

**VERIFIER:** 

**PUBLISHED DATE: 2021-12-29** 

**VERIFICATION #:** 

EXPIRY DATE: 2024-07-08



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

#### SC:BIO:PARTICLEBOARDFORFURNITURECONSTRUCTION %: 43.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES MATERIAL TYPE: Wood Dust, Fiber CONSIDERED: Yes or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- This particleboard is the primary core board for the furniture composition. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition

SC:WOOD DUST ID: SC:Bio

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

%: 50.0000 - 100.0000 GS: Not Screened RC: Both NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials

Identifier: unknown

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified. It is 90% recycled content- 82% post-industrial and 8 % post-consumer.

SC:BIO:MDF %: 35.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- The manufacturer is unwilling to disclose the resin used in the manufacturing of this product. The SDS states it is NAF (no added formaldehyde) and it does not contain any hazardous substances. Information beyond that is not attainable.

3C:WOOD DOST				ID: SC:BIO	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SC	REENING DATE:	Not Screened	
%: 80.0000	GS: Not Screened	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS		
	Hazard Screening not performed				

#### SUBSTANCE NOTES:

CO-WOOD DUCT

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: wood dust- mixed sources

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

"The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

# FLOAT GLASS TOP %: 25.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Glass

ID: CC.Dia

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are per the Pharos database. The following are below the threshold: Pb, Cr, As, Sb, V, and Cd may rarely be present in NSG Group float glass as trace level contaminants. Pb, Cr, As, Sb, V, and Cd are never present at greater than 20ppm. Se is never present at more than 50ppm. Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: The manufacturer released information stating this was soda-lime glass. The chemical composition of soda-lime glass was taken from the database of common building materials.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:52:55

%: 70.0000 GS: BM-1 RC: UNK NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

#### **CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8)**

ID: 60873-85-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-07-08 19:53:04
%: 5.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
Nana faund			No warnings f	ound on UDD Drievity Heroyd Liete

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

SODIUM OXIDE ID: 1313-59-3

HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-07-08 19:53:04		
%: 5.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS			
None found			No warnings f	ound on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

MAGNESIUM OXIDE ID: 1309-48-4

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	2021-07-08 19:53:07	
%: 2.0000	GS: LT-UNK	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
CAN	MAK		ogen Group 4 - N k under MAK/BA	lon-genotoxic carcinogen with T levels

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

ALUMINUM OXIDE ID: 1344-28-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:09

%: 1.0000 GS: BM-2 RC: UNK NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

## SC:BIO:PARTICLEBOARD2 %: 18.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- This table line can use two different particleboards based on different options. This particleboard is not used for door construction but is the primary core board for the furniture composition. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

SC:WOOD DUST ID: SC:Bio

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

%: 50.0000 - 100.0000 GS: Not Screened RC: Both NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

**POLYVINYL ACETATE** 

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: mixed- unknown sources

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:52:56
%: 40.0000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

4,4'-DIPHENYLMETHANE DIISOC	YANATE				ID: 101-68-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2021-07-08 19:52:56	
%: 40.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE:	Binder

ID: 9003-20-7

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
RES	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage

SUBSTANCE NOTES: The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

METAL LEGS %: 8.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This includes the 16 gauge metal tubing and mounting plate for options with tube legs. These come from two different manufacturers therefore there is a range of composition. Both are essentially sheet metal (carbon steel). Includes all options for legs including the sled base.

## **IRON, ELEMENTAL (PRIMARY CASRN IS 7439-89-6)**

ID: 443783-52-6

END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor					
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS		
%: 97.0000 - 100.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19:52:53			

MANGANESE ID: 7439-96-5

HAZARD SCREENING METHOD:	ARD SCREENING METHOD: Pharos Chemical and Materials Library			AZARD SCREENING DATE: 2021-07-08 19:53:07			
%: <b>1.1000 - 1.6500</b>	GS: LT-P1	RC: U	NK	NANO: <b>No</b>	SUBSTANCE ROLE: Alloy element		
HAZARD TYPE	AGENCY AND LIST TITLES		WAR	NINGS			
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor				
MUL	German FEA - Substances Hazardous Waters			Class 2 - Hazard to Waters			
REP	GHS - Japan		Toxic	to reproduction	on - Category 1B [H360]		

SUBSTANCE NOTES: Aluminum is a common residual but is below the threshold."Production of manganese metal is achieved by aluminum reduction of low iron-content manganese ore, and electrolytically from sulfate or chloride solution (Lewis 2001)." (ATSDR)

Manganese with <0.1% metallic impurities can be produced electrolytically from a manganese sulfate solution (EPA 1984; Lewis 2001)." (ATSDR)

COPPER ID: 7440-50-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-08 19:53:09			
	%: <b>0.3500</b>	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
	HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
	AQU	EU - GHS (H-Statements)	H411	- Toxic to aqua	atic life with long lasting effects

SUBSTANCE NOTES: About 80% of the primary copper in the world comes from low-grade or poor sulfide ores, which are usually treated by pyrometallurgical methods, generally in the following sequence: (1) Beneficiation by froth flotation of ore to copper concentrate; (2) Optional partial roasting to obtain oxidized material or calcines; (3) two-stage pyrometallurgical extraction, (a) smelting concentrates to matte, (b) converting matte by oxidation to crude (converter or blister) copper; (4) Refining the crude copper, usually in two steps, (a) pyrometallurgically to fire-refined copper, (b) electrolytically to high-purity electrolytic copper.

[Gerhartz, W. (exec ed.). Ullmann's Encyclopedia of Industrial Chemistry. 5th ed.Vol A1: Deerfield Beach, FL: VCH Publishers, 1985 to Present., p. VA7 (86) 479]

SILICON, ELEMENTAL ID: 7440-21-3

Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19:53:14			
GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Impurity/Residual	
AGENCY AND LIST TITLES	WA	RNINGS		
None found No warnings found on HPD Priority Hazard List				
		GS: LT-UNK RC: UNK	GS: LT-UNK RC: UNK NANO: No AGENCY AND LIST TITLES WARNINGS	

SUBSTANCE NOTES:

MANGANESE ID: 7439-96-5

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19:53:12			
%: Impurity/Residual	GS: LT-P1	RC: UN	K NANO: No	SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS		
END	TEDX - Potential Endocrine Disruptors	ine Disruptors Potential Endocrine Disruptor			
MUL	German FEA - Substances Hazardous to Waters		s to Class 2 - Hazard to Waters		
REP	GHS - Japan	Т	oxic to reprodu	ction - Category 1B [H360]	

SULFUR, PRECIPITATED ID: 7704-34-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:12

%: Impurity/Residual GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

SKI EU - GHS (H-Statements) H315 - Causes skin irritation

SUBSTANCE NOTES:

PHOSPHORUS ID: 7723-14-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:13

%: Impurity/Residual GS: BM-2 RC: UNK NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

MAM US EPA - EPCRA Extremely Hazardous Extremely Hazardous Substances

Substances

PHY EU - GHS (H-Statements) H228 - Flammable solid

SUBSTANCE NOTES:

CARBON ID: 7440-44-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:13

%: Impurity/Residual GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

SHEET METAL %: 2.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:

IRON, ELEMENTAL ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:52:53

%: 95.0000 - 97.0000	GS: LT-P1	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	V	/ARNINGS	
END	TEDX - Potential Endocrine Disruptors	P	otential Endocrine Di	sruptor
SUBSTANCE NOTES: Information per the manufacturer SDS listing metal composition.				

COPPER			ID: <b>7440-50-</b> 8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 202	1-07-08 19:53:15
%: 0.0000 - 0.5000	GS: <b>LT-P1</b>	RC: UNK NANO: Unknown SUI	BSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life	with long lasting effects

MANGANESE				ID: 7439-96-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARI	SCREENING DATE:	2021-07-08 19:53:14
%: 0.0000 - 1.5000	GS: LT-P1	RC: UNI	NANO: Unknown	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	\	VARNINGS	
END	TEDX - Potential Endocrine Disruptors	F	Potential Endocrine D	Disruptor
MUL	German FEA - Substances Hazardous Waters	to (	Class 2 - Hazard to W	/aters
REP	GHS - Japan	٦	oxic to reproduction	- Category 1B [H360]
SUBSTANCE NOTES: This info	rmation is per the manufacturer SDS listing	the metal	composition	

SILICON, ELEMENTAL			ID: 7440-21-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING D	ATE: 2021-07-08 19:53:20
%: 0.0000 - 0.6000	GS: LT-UNK	RC: UNK NANO: Unkn	nown SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warr	nings found on HPD Priority Hazard Lists

CALCIUM		ID: 7440-70-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19:53:20
%: 0.0000 - 0.1000	GS: <b>LT-P1</b>	RC: UNK NANO: Unknown SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
РНҮ	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases

## IRON ALLOY, BASE, FE,P (FERROPHOSPHORUS)

ID: 8049-19-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:21

%: 0.0000 - 0.1500 GS: NoGS RC: UNK NANO: Unknown SUBSTANCE ROLE: Alloy element

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal composition

CARBON ID: 7440-44-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:21

%: 0.0000 - 0.6000 GS: LT-UNK RC: UNK NANO: Unknown SUBSTANCE ROLE: Alloy element

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This information is per the manufacturer SDS listing the metal composition

UNDISCLOSED %: 1.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Formaldehyde resins are listed on the SDS by the manufacturer at 10-30%. Inquiry to the manufacturer did not list additional information as it is proprietary to the company. The product sheet states that there is no added urea-formaldehyde so additional options for formaldehyde resins will be listed as possible substances since the exact information is unknown. Types of formaldehyde resins include: melamine resin, phenol-formaldehyde resin, polyoxymethylene plastics, 1,4-butanediol, and methylene diphenyl diisocyanate.

# WOOD DUST - UNSPECIFIED

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:52:58

%: 25.0000 - 75.0000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:00

%: 10.0000 - 30.0000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is listed as a possible in the chemical composition. The manufacturer will not disclose the exact resin but simply states the family that it belongs to. All resins in the family are screened and listed as possible ingredients.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:02

%: 10.0000 - 30.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This is a possible substance. Due to manufacturer proprietary information the exact composition is unknown. This is listed on the SDS as a possible resin.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:02

%: 10.0000 - 30.0000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is listed as a possible in the chemical composition. The manufacturer will not disclose the exact resin but simply states the family that it belongs to. All resins in the family are screened and listed as possible ingredients.

**CELLULOSE, MICROCRYSTALLINE** 

ID: 9004-34-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:03

%: 10.0000 - 20.0000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

SC:BIO:WOODVENEER %: 1.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- Pair uses a variety of domestic veneers for this collection. They also use laminate therefore this is an alternate material.

SC:DOMESTIC WOOD VEI	NEER		ID: SC:Bio
HAZARD SCREENING MET	THOD: Pharos Chemical and Materials Library	HAZARD SCREENING	DATE: Not Screened
%: 100.0000	GS: Not Screened	RC: UNK NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	Hazard Screening not performed		

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials

Identifier: Domestic Veneer, various choices

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

**LAMINATE** %: 1.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Paper or Cardboard

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Laminate is an alternate option to wood veneer in this collection. To fill in the gaps of the manufacturer data the Pharos common building material database was used.

SC:KRAFT PAPER				ID: SC:Bio
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	Not Screened
%: 50.0000 - 50.9700	GS: Not Screened	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
	Hazard Screening not performed			

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: Generic wood pulp

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induce		itizer-induced
HAZARD TYPE	AGENCY AND LIST TITLES	WARN		
%: 20.0000 - 23.9800	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-0		2021-07-08 19:53:00

SUBSTANCE NOTES: Information is based on the database of common building materials.

CELI	LULUSE	, MICRO	CRISI	ALLINE			

ID: 9004-34-6

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-07-08 19:53:05
%: 3.6100 - 10.0500	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RES	AOEC - Asthmagens	Asthma	agen (Rs) - sensi	tizer-induced

SUBSTANCE NOTES: This information is based on the database of common building materials.

## MELAMINE/FORMALDEHYDE RESIN

ID: 9003-08-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	ATE: 2021-07-08 19:53:14
%: 0.0100 - 0.3400	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found			No warni	ngs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material laminate was supplemented with information from the database of common building materials.

POLYNOXYLIN				ID: 9011-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:53:21
%: 0.0000 - 4.8900	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
RES	AOEC - Asthmagens	Asthn	nagen (Rs) - sens	itizer-induced

SUBSTANCE NOTES: Information for laminate was supplemented with information from the database of common building materials.

HEXANEDIOIC ACID, POLYMER WITH N-(2-AMINOETHYL)-1,2-ETHANEDIAMINE, REACTION PRODUCTS WITH DIMETHYLAMINE AND EPICHLOROHYDRIN ID: 68583-79-9

	HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:	2021-07-08 19:53:22
ı				

%: 0.0000 - 0.3300 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material laminate was supplemented with information from the database of common building materials.

SC:BIO:PLYWOOD %: 1.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- This is from the database of common building materials. All entries are generalized.

SC:WOOD

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

%: 95.0000 GS: Not Screened RC: UNK NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

# SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23
Category: Tree-based materials
Identifier: mixed- unknown sources

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

"The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

WOOD ADHESIVE 1 %: 0.0100

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MA

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This furniture collection can contain one of two wood adhesives or both. The low option they have the maximum percentage of composition by weight of 1.5% for low option and 5% for the high option. In the HPD they are listed as adhesive 1 and adhesive 2. This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:52:57
%: 30.0000 - 39.2300 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Binder
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information

given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

WATER ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:52:59

%: 25.0000 - 40.1000 GS: BM-4 RC: UNK NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

TALC ID: 14807-96-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:03 %: 6.0000 - 8.7200 GS: BM-1 RC: UNK NANO: No SUBSTANCE ROLE: Filler AGENCY AND LIST TITLES **WARNINGS HAZARD TYPE** CAN MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification CAN **IARC** Group 2b - Possibly carcinogenic to humans

**POLYVINYL ACETATE** 

None found

ID: 9003-20-7

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

Actinolite, anthophyllite and tremolite may occur in some talc deposits; when asbestiform, they constitute asbestos and, when not asbestiform, they are referred to as mineral fragments or cleavage fragments." and "Minerals commonly found in talc products include chlorite and carbonate. Less commonly, talc products contain tremolite, anthophyllite and serpentine."

IARC Working Group on the Evaluation of Carcinogenic Risk to Humans. Carbon Black, Titanium Dioxide, and Talc. Lyon (FR): International Agency for Research on Cancer; 2010. (IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, No. 93.) Available from: https://www.ncbi.nlm.nih.gov/books/NBK326521/.

## 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE

ID: 6846-50-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAI	RD SCI	REENING DATE:	2021-07-08 19:53:04
%: 5.0000 - 8.7200	GS: <b>LT-P1</b>	RC: U	NK	NANO: <b>No</b>	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS	
END	TEDX - Potential Endocrine Disruptors		Potent	tial Endocrine Di	sruptor

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

#### **DIPROPYLENE GLYCOL MONOMETHYL ETHER**

ID: 34590-94-8

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-07-08 19:53:11
%: 0.1000 - 0.7000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings t	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

POLYVINYL ALCOHOL ID: 9002-89-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:18

%: 0.0000 - 1.2200 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

ALUMINUM CHLORIDE ID: 7446-70-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DAT	TE: 2021-07-08 19:53:22
%: 0.0000 - 1.2200	GS: LT-P1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
SKI	EU - GHS (H-Statements)	H314	- Causes seve	ere skin burns and eye damage
RES	AOEC - Asthmagens	Asthi	magen (Rs) - se	ensitizer-induced

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

**WOOD ADHESIVE 2** %: 0.0100

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This furniture collection can contain one of two wood adhesives or both. The low option they have the maximum percentage of composition by weight of 1.5% for low option and 5% for the high option. In the HPD they are listed as adhesive 1 and adhesive 2. This has one missing ingredient that is at the threshold of 0.01. It is highly proprietary and the company will not disclose. All other ingredients are disclosed. The ingredient is listed as a resin dispersion.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

POLYCHLOROPRENE	PLYCHLOROPRENE			
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		y HAZARD SCREENING DATE: 2021-07-08 19:52		2021-07-08 19:52:57
%: 30.0000 - 40.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	RNINGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

HAZARD SCREENING METHOD	: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19:53:09
%: 1.0000 - 3.0000	GS: <b>BM-1</b>	RC: UNK NANO: No SUBSTANCE ROLE: Accelerator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
MUL	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to Waters

RESIN ACIDS AND ROSIN ACIDS, FUMARATED, CALCIUM SALTS					
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	REENING DATE	2021-07-08 19:53:10 SUBSTANCE ROLE: Filler	
%: 0.1000 - 5.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
MUL	German FEA - Substances Hazardous t Waters	o Class	2 - Hazard to W	aters	
SUBSTANCE NOTES:					

SUBSTANCE NOTES:

SUBSTANCE NOTES:

ZINC OXIDE

ID: 1314-13-2

MISC. HARDWARE

%: 0.0100 - 68.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Hardware is noted for informational purposes only and is covered by the special condition for metal fasteners. Please see the screening notes for more detail.

			ID: 7439-89-
Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-07-08 19:52:54
GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
AGENCY AND LIST TITLES	WAR	RNINGS	
TEDX - Potential Endocrine Disruptors	Pote	ntial Endocrine	e Disruptor
	AGENCY AND LIST TITLES	GS: LT-P1 RC: UNK  AGENCY AND LIST TITLES WAF	GS: LT-P1 RC: UNK NANO: No AGENCY AND LIST TITLES WARNINGS

SUBSTANCE NOTES: Residuals and impurities were screened using the Pharos database. None listed. Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon. All impurities are below the threshold.

**GLASS TINT** %: 0.0100

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

COBALT				ID: <b>7440-48-4</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 2	021-07-08 19:52:51
%: 99.0000	GS: LT-1	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	CA EPA - Prop 65	Carcinogen
GEN	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
GEN	MAK	Germ Cell Mutagen 3a
REP	EU - GHS (H-Statements)	H360F - May damage fertility
CAN	GHS - Australia	H350i - May cause cancer by inhalation
REP	GHS - Australia	H360F - May damage fertility

SUBSTANCE NOTES: Co, Se and Ni may be added to impart colour to some tinted glasses. NSG Group declare that Co is never present at greater than 200ppm

NICKEL ID: 7440-02-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:52:52

%: 99.0000 GS: LT-1 RC: UNK NANO: Unknown SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: Co, Se and Ni may be added to impart colour to some tinted glasses. NSG Group declare that Co is never present at greater than 200ppm

SELENIUM, ELEMENTAL ID: 7782-	ID: 7782-49-2
-------------------------------	---------------

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19:52:52
%: 99.0000	GS: LT-P1	RC: UNK NANO: Unknown SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
MUL	German FEA - Substances Hazardous t Waters	o Class 2 - Hazard to Waters

SUBSTANCE NOTES: Co, Se and Ni may be added to impart colour to some tinted glasses. NSG Group declare that Co is never present at greater than 200ppm

**UV CURED WOOD FINISH** 

%: 0.0100

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: The acrylate polymer is proprietary company information and can not be disclosed outside the manufacturer. It is not a hazardous substance as it is not reported on the SDS. The threshold level is 0.01. No substitute or clarification of information could be found in the database of common building materials.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

## **BISPHENOL A-EPICHLOROHYDRIN ACRYLATE**

ID: 55818-57-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19		E: 2021-07-08 19:52:59
%: 25.0000 - 50.0000	GS: <b>BM-1</b>	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Film former
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warning	s found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The residual monomer content of bisphenol-A in the epoxy resin as produced is a maximum of 1,000 ppm. The residual bisphenol-A will be further reacted when the product is used (i.e. when the epoxy resin is cured)." (EU Risk Assessment, 2003)

Epichlorohydrin (ECH), 1-chloro-2,3-epoxypropane, is a raw material used in the production of epoxy resins, synthetic glycerol, elastomers, paper, and pharmaceuticals [1-2]. ECH can enter drinking water supplies by leaching from epoxy resin coatings on pipes or through flocculating agents in water treatment. (Agilent Technologies)

## **DIPROPYLENE GLYCOL DIACRYLATE**

ID: 57472-68-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19:53:01			
%: 10.0000 - 25.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Antioxidant	
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS		
None found			No warning	s found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:					

# TRIPROPYLENE GLYCOL DIACRYLATE

ID: 42978-66-5

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:53:01
%: <b>10.0000 - 25.0000</b>	GS: LT-P1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Plasticizer

HAZARD TYPE AG	GENCY AND LIST TITLES	WARNINGS
SKI M.	IAK	Sensitizing Substance Sh - Danger of skin sensitization
SKI EU	U - GHS (H-Statements)	H315 - Causes skin irritation
EYE EU	U - GHS (H-Statements)	H319 - Causes serious eye irritation
AQU EL	U - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
	erman FEA - Substances Hazardous to /aters	Class 2 - Hazard to Waters
SKI EU	U - GHS (H-Statements)	H317 - May cause an allergic skin reaction

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:52:43

SUBSTANCE NOTES: No known impurities.

**EPICHLOROHYDRIN** 

%: Impurity/Residual GS: LT-1 RC: UNK NANO: No SUBSTANCE ROLE: Impurity/Residual

ID: 106-89-8

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	CA EPA - Prop 65	Carcinogen
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
REP	CA EPA - Prop 65	Reproductive Toxicity - Male
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
CAN	GHS - Australia	H350 - May cause cancer
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
GEN	GHS - Australia	H340 - May cause genetic defects
CAN	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
CAN	GHS - Malaysia	H350 - May cause cancer
CAN	GHS - Japan	Carcinogenicity - Category 1B [H350]

SUBSTANCE NOTES: Epichlorohydrin (ECH), 1-chloro-2,3-epoxypropane, is a raw material used in the production of epoxy resins, synthetic glycerol, elastomers, paper, and pharmaceuticals [1-2]. ECH can enter drinking water supplies by leaching from epoxy resin coatings on pipes or through flocculating agents in water treatment. (Agilent Technologies)

BISPHENOL A ID: 80-05-7

	<u> </u>	ARD SCREENING DATE: 2021-07-08 19:53:17  UNK NANO: No SUBSTANCE ROLE: Impurity/Residua	
%: Impurity/Residual	GS: DW-1 RC:	UNK NANO: No SUBSTANCE ROLE: Impurity/Residua	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Substance of Possible Concern	
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published	
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development	
END	ChemSec - SIN List	Endocrine Disruption	
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list	
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B	
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxican	
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters	
DEV	CA EPA - Prop 65	Developmental toxicity	
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity	
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans	
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters	
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction	
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage	
REP	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity	
SKI	MAK	Sensitizing Substance SP - Danger of photocontact sensitization	
REP	EU - GHS (H-Statements)	H360F - May damage fertility	
REP	CA EPA - Prop 65	Reproductive Toxicity - Female	
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity	
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]	

SUBSTANCE NOTES: The residual monomer content of bisphenol-A in the epoxy resin as produced is a maximum of 1,000 ppm. The residual bisphenol-A will be further reacted when the product is used (i.e. when the epoxy resin is cured)." (EU Risk Assessment, 2003)

BISPHENOL A ID: 80-05-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:17

%: Impurity/Residual GS: BM-1 RC: UNK NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Substance of Possible Concern
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
DEV	CA EPA - Prop 65	Developmental toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
REP	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity
SKI	MAK	Sensitizing Substance SP - Danger of photocontact sensitization
REP	EU - GHS (H-Statements)	H360F - May damage fertility
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: The residual monomer content of bisphenol-A in the epoxy resin as produced is a maximum of 1,000 ppm. The residual bisphenol-A will be further reacted when the product is used (i.e. when the epoxy resin is cured)." (EU Risk Assessment, 2003)

# **DIPROPYLENE GLYCOL (PRIMARY CASRN IS 25265-71-8)**

ID: 78644-49-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		rials Library HAZARD SC	HAZARD SCREENING DATE: 2021-07-08 19:53:18		
%: Impurity/Residu	al GS: LT-UNK	RC: UNK	NANO: <b>No</b> SUE	SSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	S WARI	NINGS		
None found			No warnings t	found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Listed as <1.0% content in BASF MSDS for commercial DGMA (Laromer DPGDA).

HYDROCHLORIC ACID ID: 7647-01-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19:53:19		
%: Impurity/Residual	GS: <b>BM-2</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		evere skin burns and eye damage
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled		haled
RES	AOEC - Asthmagens	Asthmagen (Rr) - irritant-induced		· irritant-induced
MAM	US EPA - EPCRA Extremely Hazardous Substances	ous Extremely Hazardous Substances		dous Substances

SUBSTANCE NOTES: "The manufacturing process for pyrogenic silicas is based mainly on the combustion of volatile silanes, especially silicon tetrachloride, in an oxygen-hydrogen burner. Primary particles (7-50 nm particle size) of amorphous silica fuse together in the high-temperature flame to yield stable aggregates of between 100 and 500 nm in diameter. These aggregates form micron-sized agglomerates. The finely divided silica is separated from the hydrochloric acid-containing off-gas stream in filter stations. The hydrochloric acid content of the product is commonly reduced to less than 100 ppm by desorbing the hydrochloric acid with air in a fluid-bed reactor. Pyrogenic silica appears as a fluffy white powder. [IARC. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man. Geneva: World Health Organization, International Agency for Research on Cancer, 1972-PRESENT. (Multivolume work). Available at:http://monographs.iarc.fr/index.php p. V68 56 (1997)]" (HSDB)

SILICON DIOXIDE ID: 7631-86-9

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19:53:19		
%: 0.0000 - 10.0000	GS: <b>BM-1</b>	RC: UNK NANO: No SUBSTANCE ROLE: Abrasion resistance		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	GHS - Australia	H350i - May cause cancer by inhalation		
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]		

SUBSTANCE NOTES: "The manufacturing process for pyrogenic silicas is based mainly on the combustion of volatile silanes, especially silicon tetrachloride, in an oxygen-hydrogen burner. Primary particles (7-50 nm particle size) of amorphous silica fuse together in the high-temperature flame to yield stable aggregates of between 100 and 500 nm in diameter. These aggregates form micron-sized agglomerates. The finely divided silica is separated from the hydrochloric acid-containing off-gas stream in filter stations. The hydrochloric acid content of the product is commonly reduced to less than 100 ppm by desorbing the hydrochloric acid with air in a fluid-bed reactor. Pyrogenic silica appears as a fluffy white powder. [IAECS Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man. Geneva: World Health Organization, International Agency for Research on Cancer, 1972-PRESENT. (Multivolume work). Available

PROTECTION PROPERTY OF THE PRO

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This option covers all colors and contains alternate materials based on different pigments.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BENZENEDICARBOXYLIC ACID, 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIOL AND HEXANEDIOIC ACID

ID: 40471-09-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Libra		HAZARD SCREENING DATE:		2021-07-08 19:52:55
%: 50.0000 - 60.0000	GS: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

TITANIUM DIOXIDE						ID: 13463-67-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SCR	EENING DATE:	2021-07-08 19:52:58	}
%: 25.0000 - 50.0000	GS: <b>LT-1</b>	RC: UI	NK	NANO: <b>No</b>	SUBSTANCE ROLE	: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS		
CAN	EU - GHS (H-Statements)		H351 -	Suspected of c	ausing cancer	
CAN	US CDC - Occupational Carcinogens		Occup	ational Carcinoç	gen	
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposur			cposure route	
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			s - inhaled	
CAN	MAK				- Evidence of carcino tablish MAK/BAT valu	_
END	TEDX - Potential Endocrine Disruptors		Potent	ial Endocrine Di	sruptor	
CAN	MAK			ogen Group 4 - k under MAK/B <i>l</i>	Non-genotoxic carcin AT levels	ogen with

PYROMELLITIC ACID 2-PHENYL-2-IMIDAZOLINE SALT (1:1)					
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	SCREENING DATE:	2021-07-08 19:53:05	
%: 2.5000 - 10.0000	GS: LT-P1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Coating	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		
MUL	German FEA - Substances Hazardous Waters	to Cla	ass 2 - Hazard to Wa	aters	
SUBSTANCE NOTES:					

SUBSTANCE NOTES: This is not in all color options and therefore the depending on the color choice this substance is a "may contain".

TRIGLYCIDYL ISOCYANURATE					ID: 2451-62-9
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE	E: 2021-07-08 19:53:06	
%: <b>2.5000 - 10.0000</b>	GS: <b>LT-1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: C	uring agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
GEN	EU - GHS (H-Statements)	H340 - May cause genetic defects
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
GEN	EU - SVHC Authorisation List	Mutagenic - Candidate list
GEN	GHS - Korea	Germ cell mutagenicity - Category 1 [H340 - May cause genetic defects]
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
GEN	GHS - Japan	Germ cell mutagenicity - Category 1B [H340]

SUBSTANCE NOTES:

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:53:06
%: 2.5000 - 10.0000	GS: <b>BM-2</b>	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
CAN	MAK		inogen Group 4 - isk under MAK/E	Non-genotoxic carcinogen with

ALUMINUM OXIDE					ID: 1344-28-1
HAZARD SCREENING METHOD	: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-07-08 19:53:11	
%: 0.1000 - 2.5000	GS: <b>BM-2</b>	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE:	Abrasive
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced			
SUBSTANCE NOTES:					

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-08 19:53:10
%: 0.1000 - 1.0000	GS: <b>LT-1</b>	RC: UNK NANO: No SUBSTANCE ROLE: Abrasion resistance
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

ALUMINUM HYDROXIDE, DRIED ID: 21645-51-2

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-07-08 19:52:32
%: 0.0000 - 2.5000	GS: <b>BM-2</b>	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is not in all color options therefore it is a "may contain" depending on the color choice.

SUBSTANCE NOTES: This is not in all color options therefore it is a "may contain" depending on the color choice.

KAOLIN

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-08 19:53:16

%: 0.0000 - 2.5000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

CAN MAK Carcinogen Group 3B - Evidence of carcinogenic effects

ADHESIVE 3 %: 0.0100 but not sufficient for classification

PRODESTANHERESIONES: BAS expin SDS this is a list and so in the same of the sa

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

SILICON, ELEMENTAL					
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-07-08 19:52:54	
%: 90.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Monomer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found No warnings found on HPD Priority Hazard Lists					

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

# **OCTAMETHYLCYCLOTETRASILOXANE**

ID: 556-67-2

HAZARD SCREENING METHOD: F	Pharos Chemical and Materials Library	ry HAZARD SCREENING DATE:		2021-07-08 19:53:08	
%: 1.0000	GS: <b>BM-1</b>	RC: UNK	NANO: No	SUBSTANCE ROLE: Monomer	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development		
END	ChemSec - SIN List	Endocrine Disruption		
PBT	EU - ESIS PBT	Under PBT evaluation		
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1		
REP	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility		
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment		
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)		
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans		
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity		
PBT	EU - SVHC Authorisation List	PBT - Candidate list		
РВТ	EU - SVHC Authorisation List	vPvB - Candidate list		

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

METHYLSILANETRIOL TRIACETATE					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE:		2021-07-08 19:53:08	
%: 1.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Monomer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found			No warnings t	ound on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

18

#### **VOC EMISSIONS**

#### SCS Indoor Advantage Gold - Classroom & Office scenario

12-17

CERTIFIER OR LAB: SCS Global

ISSUE DATE: 2021-12- EXPIRY DATE: 2022-

**CERTIFYING PARTY: Third Party** 

APPLICABLE FACILITIES: Systems and tables: Systems:

Belay, Fade, Gradient, Mix, Olli, Simple Beam, Swing,

Swing Bar, Swing High, Swing Jr, Swing Low;

Conferencing: Baby Beluga, Beluga, BYOT, Cape,

Gradient Conference Tables, Serif, Sevens; Systems

Accessories: 101, Bag Hook, Crostini, Crouton, End of

Run Panels and Shelving, Felt Cable Manager, Gradient

Storage, Hanging Whiteboard, Hanging Woodboard, Olli Coat Rack, Mix Divider Screen, Nest, Nest Screen, Olli

Butterfly Screen, Olli Cushion, Olli Plug, Olli Frame, Olli

Meeting Table, Oscar, Planter Hook, Saltine, Stackable

Caddy, Stackable Planter, Stackable Storage, Stash,

Swing Beam Mounted Screen, Swing Modesty,

Swing/Olli/ BYOT Power Sleeve, Toast, Tuck, Wally

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: #SCS-IAQ-05854



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

Our Conferencing solutions come in a wide range of options. To cover that full range we have created a low and high option and all configurations are included in that range. The product category is defined as Conferencing including Cape, BYOT & BYOT Trapezoid, Beluga & Baby Beluga, Serif and Sevens. This HPD covers all products in those lines. The "low" option is 36" Seven Round Table with Wood Top and Metal Legs. . For the "high" option we used 240"W x 72"D BYOT Fin Table, w/ Glass Top, Wood Subtop and Metal Legs.

All other configurations are within this range.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

"The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

SPECIAL CONDITION: Minor Fasteners

Version: SCMinorFasteners/2020-07-16

All hardware for this system not reported is in alignment with HPDC Special Conditions- Minor Fasteners. The total weight of all metal fasteners is <5% of the total weight of the system. Any fasteners reported above that threshold are listed on the HPD. The total combined weight of the commodity fasteners is between 1% and 2%. All minor fasteners fit within the specific guidelines as outlined in the HPD Guide for Special Conditions They are purchased from a third party, made to a generic specification, e.g. ASTM, and not made to order for the specific manufacturer.

SPECIAL CONDITION: Electronics Version: SCElec/2018-02-23

Meet - Beluga and Baby Beluga hpdrepository.hpd-collaborative.org Electronics are also covered by a special condition and reported as such. All electrical components are EU RoHS compliant without exemptions. Electronics comprising 10% or less of the product by weight are included in this Special Condition; if electronics comprise greater than 10% of the product by weight, they must be inventoried separately. The electronic components must be fully enclosed and sealed, there can be no possible exposure to the components during the use phase, and there must be a guaranteed take-back program. All electrical components covered by this HPD are <3% by weight.

Disclaimer - Every effort has been made to report the substances in this product by the manufacturer to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

#### MANUFACTURER INFORMATION

MANUFACTURER: Pair
ADDRESS: 500 Davis Street

San Francisco CA 94111, United States

WEBSITE: http://madebypair.com

CONTACT NAME: Astor Ng
TITLE: Project Manager
PHONE: 415.747.7300

EMAIL: astor@madebypair.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### **KEY**

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

## GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) **NoGS** No GreenScreen.

#### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.